



TESTING CERT. #3193.01

Report Number: 17-003426

Revision Number: 1

Date Order Received: 09/01/2017

For the Account of: Vescom BV
Sint Jozefstraat 20
NL-5753 AV Deurne

Client's Identification: Bray Print 8065

CERTIFICATE OF TESTING

TEST PERFORMED: Colorfastness to Light AATCC Test Method 16.3-2014, Option 3

TEST RESULTS

| Rating | Number of Hours |
|-----------|-----------------|
| Class 2.5 | 60 |

RATING SYSTEM

- Class 5 No fading or color change
- Class 4 Slight fading or color change
- Class 3 Noticeable fading or color change
- Class 2 Considerable fading or color change
- Class 1 Much fading or color change

NOTES

Light Source: Xenon -Arc, Water Cooled, Continuous Light
Scale Used for Evaluation: AATCC Gray Scale for Color Change

ACCEPTANCE CRITERIA

| A.C.T. Standard | Acceptance Criteria |
|------------------------------|----------------------------|
| Upholstery | Class 4 minimum - 40 hours |
| Direct Glue Wallcoverings | Class 4 minimum - 40 hours |
| Panels and Upholstered Walls | Class 4 minimum - 40 hours |
| Draperies | Class 4 minimum - 60 hours |

CERTIFICATION I certify that the above results were obtained after testing specimen in accordance with the procedures and equipment specified by the standard stated above.

Authorized Signature

Date Order Completed: 09/29/2017