

Declaration of Performance

No: DOP-CPR-14001

1. Product type

Decorative magnetic receptive dry erase wallcovering referenced: "Mag-Rite" or "Projectable Mag-Rite"

- 2. Product type reference For details see label on the rolls.
- 3. Intended use

Hanging on to internal walls or partitions having a fire performance of A2-s1, d0 or better by means of adhesive for the primary purpose of decoration

4. ManufacturerVescom BVSt. Jozefstraat 205753 AV Deurne The Netherlands

- 5. Authorized representative Not applicable
- 6. System of assessment System 3
- 7. Harmonized standard EN 15102
- 8. Notified testing laboratory BTTG: 0338 performed the determination of the product type on the basis of type testing (based on sampling carried out by the manufacturer) and issued the test reports: 27/05281/02/20 and 27/05334B/05/20

9. Declared performance

200a.04 po. 101.11a.100			
Essential characteristic		Performance	Harmonized technical
			specification
			Specification
Reaction to fire EN 13501-1	EN 13501-1	B-s1, d0	EN 15102:2007
Release of formaldehyde	EN 12149-C	NPD	A1:2011
Release of vinyl chloride	EN 12149-B	Pass	
monomer			
Release of heavy metals	EN 12149-A	Pass	
Sound absorption		NPD	
Thermal resistance		NPD	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by

Frank van Werkum, Director Deurne , July 1, 2020

Signature