

Vescom B.V.  
Frank Teeuwen  
St. Jozefstraat 20  
5753 AV Deurne

Hengelo (ov), 16-6-2020

<b>Test Specimen:</b>	<b>Specimen:</b>	<b>Colour:</b>	<b>Client reference number:</b>
	A.	Light grey	Vinyl Upholstery, dessin Furka Plus – 7064.05

<b>Examination:</b>	<b>Test number:</b>	<b>Test Name:</b>
	1.	Furniture – Assessment of surface resistance to cold liquids.
	2.	Photos – before cleaning and after cleaning.

**Results** See following pages

  
Laboratory Quality Control

This report exists of 5 numbered page(s) and can only be reproduced entirely. All services provided by Textile Lab are subjected to our current Terms and Conditions. The test result relates only to the tested item. Specimens were delivered by client. The interpretation of results and recommendations are for risk of the client and her reader. Regarding to this report Textile Lab does not accept responsibility for any damage caused due to the test results or services. The examined specimens are claimable at the office of Textile Lab within one month after the above-mentioned date. With the exception; when tested for fire/smoke properties, when returned to client or when the material has been consumed. No part of this report may be altered or published, without the prior written permission of the board of directors.

Check this report of 16-6-2020 on authenticity. Page: 1 / 5

**Testing • Research • Consulting**

<b>Test</b>	: 1. Furniture – Assessment of surface resistance to cold liquids.
<b>Norm</b>	: NEN EN 12720 : 2009
<b>Liquids</b>	: Acid solution ( <i>perspiration</i> ) Alkaline solution ( <i>perspiration</i> ) Blood Skin fat Urine
<b>Cleaning agent</b>	: Vescom Cleaner ( <i>from client</i> )
<b>Test periods</b>	: 1 hour at 23°C in the Binder Refrigerated Incubator Model: KT 53 (E6). 24 hours at 23°C in the Binder Refrigerated Incubator Model: KT 53 (E6).
<b>Numerical rating</b>	: Descriptive numerical rating code:  1 = strong change 2 = significant change 3 = moderate change 4 = minor change 5 = no change

<b>Results test 1 specimen:</b>	<b>A.</b> <i>cleaning agent = Vescom Cleaner</i>
<b>Acid solution at 1 hour:</b>	
1e	5
2e	5

<b>Results test 1 specimen:</b>	<b>A.</b> <i>cleaning agent = Vescom Cleaner</i>
<b>Alkaline solution at 1 hour:</b>	
1e	5
2e	5

<b>Results test 1 specimen:</b>	<b>A.</b> <i>cleaning agent = Vescom Cleaner</i>
<b>Blood at 1 hour:</b>	
1e	5
2e	5

<b>Results test 1 specimen:</b>	<b>A.</b> <i>cleaning agent = Vescom Cleaner</i>
<b>Skin fat at 1 hour:</b>	
1e	5
2e	5

<b>Results test 1 specimen:</b>	<b>A.</b> <i>cleaning agent = Vescom Cleaner</i>
<b>Urine at 1 hour:</b>	
1e	5
2e	5

  
 Laboratory Quality Control

This report exists of 5 numbered page(s) and can only be reproduced entirely. All services provided by Textile Lab are subjected to our current Terms and Conditions. The test result relates only to the tested item. Specimens were delivered by client. The interpretation of results and recommendations are for risk of the client and her reader. Regarding to this report Textile Lab does not accept responsibility for any damage caused due to the test results or services. The examined specimens are claimable at the office of Textile Lab within one month after the above-mentioned date. With the exception; when tested for fire/smoke properties, when returned to client or when the material has been consumed. No part of this report may be altered or published, without the prior written permission of the board of directors.

Check this report of 16-6-2020 on authenticity. Page: 2 / 5

**Testing • Research • Consulting**

Results test 1 specimen:	A. <i>cleaning agent = Vescom Cleaner</i>
<b>Acid solution at 24 hours:</b>	
1e	5
2e	5

Results test 1 specimen:	A. <i>cleaning agent = Vescom Cleaner</i>
<b>Alkaline solution at 24 hours:</b>	
1e	5
2e	5

Results test 1 specimen:	A. <i>cleaning agent = Vescom Cleaner</i>
<b>Blood at 24 hours:</b>	
1e	5
2e	5

Results test 1 specimen:	A. <i>cleaning agent = Vescom Cleaner</i>
<b>Skin fat at 24 hours:</b>	
1e	5
2e	5

Results test 1 specimen:	A. <i>cleaning agent = Vescom Cleaner</i>
<b>Urine at 24 hours:</b>	
1e	4/5
2e	4/5





  
 Laboratory Quality Control





This report exists of 5 numbered page(s) and can only be reproduced entirely. All services provided by Textile Lab are subjected to our current Terms and Conditions. The test result relates only to the tested item. Specimens where delivered by client. The interpretation of results and recommendations are for risk of the client and her reader. Regarding to this report Textile Lab does not accept responsibility for any damage caused due to the test results or services. The examined specimens are claimable at the office of Textile Lab within one month after the above-mentioned date. With the exception; when tested for fire/smoke properties, when returned to client or when the material has been consumed. No part of this report may be altered or published, without the prior written permission of the board of directors.





Check this report of 16-6-2020 on authenticity. Page: 3 / 5





**Testing • Research • Consulting**

2. Photos.

			
<b>Specimen A: Acid solution at 1 hour before the test</b>	<b>Specimen A: Acid solution at 1 hour after the test</b>	<b>Specimen A: Acid solution at 24 hours before the test</b>	<b>Specimen A: Acid solution at 24 hours after the test</b>

			
<b>Specimen A: Alkaline solution at 1 hour before the test</b>	<b>Specimen A: Alkaline solution at 1 hour after the test</b>	<b>Specimen A: Alkaline solution at 24 hours before the test</b>	<b>Specimen A: Alkaline solution at 24 hours after the test</b>

			
<b>Specimen A: Blood at 1 hour before the test</b>	<b>Specimen A: Blood at 1 hour after the test</b>	<b>Specimen A: Blood at 24 hours before the test</b>	<b>Specimen A: Blood at 24 hours after the test</b>





			
<b>Specimen A: Skin fat at 1 hour before the test</b>	<b>Specimen A: Skin fat at 1 hour after the test</b>	<b>Specimen A: Skin fat at 24 hours before the test</b>	<b>Specimen A: Skin fat at 24 hours after the test</b>

  
 Laboratory Quality Control

This report exists of 5 numbered page(s) and can only be reproduced entirely. All services provided by Textile Lab are subjected to our current Terms and Conditions. The test result relates only to the tested item. Specimens were delivered by client. The interpretation of results and recommendations are for risk of the client and her reader. Regarding to this report Textile Lab does not accept responsibility for any damage caused due to the test results or services. The examined specimens are claimable at the office of Textile Lab within one month after the above-mentioned date. With the exception; when tested for fire/smoke properties, when returned to client or when the material has been consumed. No part of this report may be altered or published, without the prior written permission of the board of directors.

*Check this report of 16-6-2020 on authenticity. Page: 4 / 5*

**Testing • Research • Consulting**

			
<b>Specimen A: Urine at 1 hour before the test</b>	<b>Specimen A: Urine at 1 hour after the test</b>	<b>Specimen A: Urine at 24 hours before the test</b>	<b>Specimen A: Urine at 24 hours after the test</b>

Original Report

  
Laboratory Quality Control

This report exists of 5 numbered page(s) and can only be reproduced entirely. All services provided by Textile Lab are subjected to our current Terms and Conditions. The test result relates only to the tested item. Specimens were delivered by client. The interpretation of results and recommendations are for risk of the client and her reader. Regarding to this report Textile Lab does not accept responsibility for any damage caused due to the test results or services. The examined specimens are claimable at the office of Textile Lab within one month after the above-mentioned date. With the exception; when tested for fire/smoke properties, when returned to client or when the material has been consumed. No part of this report may be altered or published, without the prior written permission of the board of directors.

Check this report of 16-6-2020 on authenticity. Page: 5 / 5

**Testing • Research • Consulting**