



Declaração de Desempenho

N.º: DOP-CPR-01002

1. Tipo de produto
Revestimento mural decorativo referenciado: "Revestimento mural vinílico com base de algodão e Vescom Protect, FR tratado, com gramagem total de 370 – 480 g/m2"
2. Referência do tipo de produto - Para mais informações, consulte a etiqueta nos rolos.
3. Utilização prevista
Para divisórias ou paredes internas com um desempenho de fogo de A2-s1, d0 ou superior através da cola para o fim de decoração principal
4. Fabricante
Vescom BV
St. Jozefstraat 20
5753 AV Deurne Países Baixos
5. Representante autorizado - Não aplicável
6. Sistema de avaliação - Sistema 1
7. Norma harmonizada EN 15102
Organismo de certificação do produto notificado Centexbel: 0493, realizou a determinação do tipo de produto com base no teste de tipo (incluindo amostra), a inspeção inicial da fábrica e do controlo de produção da fábrica, vigilância contínua, a avaliação do controlo de produção da fábrica ao abrigo do sistema 1 e emitiu o certificado de regularidade de desempenho 0493-CPR-W015

8. Desempenho declarado

Caraterística essencial		Desempenho	Especificação técnica harmonizada
Reação ao fogo EN 13501-1	EN 13501-1	B-s2, d0	EN 15102:2007 A1:2011
Libertação de formaldeído	EN 12149-C	< 0,1 mg / kg	
Libertação de cloreto de vinilo monómero	EN 12149-B	< 0,2 mg / kg	
Libertação de metais pesados	EN 12149-A	Antimónio < 0,60 mg / kg Arsénio < 0,50 mg / kg Bário 5,58 mg / kg Cádmio < 0,10 mg / kg Crómio < 0,20 mg / kg Chumbo < 0,05 mg / kg Mercúrio < 0,10 mg / kg Selénio < 1,00 mg / kg	
Absorção acústica		NPD	
Resistência térmica		NPD	

9. O desempenho do produto identificado nos pontos 1 e 2 está em conformidade com o desempenho declarado no ponto 8. A presente declaração de desempenho foi emitida sob a exclusiva responsabilidade do fabricante identificado no ponto 4.

Assinado por e em nome do fabricante por

Frank van Werkum, Diretor
Deurne, 7 de julho de 2017



Certificate of constancy of performance

0493 - CPR - W015

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Decorative wall covering, cotton backed vinyl wall covering with Vescom Protect , FR treated

**Vinyl topcoat of 310 g/m², cotton backing of 40 g/m² and Vescom Protect laminate of 20 g/m²
Total mass: 370 g/m²**

B-s2, d0

Glued on Calcium Silicate Plate with Vescom 2000, vertical joints

produced by or for

**VESCOM BV
St. Jozefstraat 20
5753 AV DEURNE
NEDERLAND**

and produced in the manufacturing plant (s)

VESCOM BV

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

EN 15102:2007

under system 1 are applied and that

the product fulfils (products fulfil) all the prescribed requirements set out above.

This certificate was first issued on July 7th 2017 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly and latest on July 31st 2023.

This certificate has been drawn up in accordance with the general certification regulation of Centexbel which is available via <https://www.centexbel.be>

This certificate consists of 1 certificate and 1 annex

Zwijnaarde, July 29th 2021



Inge De Witte
Certification Manager

CENTEXBEL • textile competence centre • www.centexbel.be

GENT • Technologiepark 70 • BE 9052 Gent • Belgium • phone +32 9 220 41 51 • fax +32 9 220 49 55 • gent@centexbel.be

VAT • BE 0459.218.289 • IBAN • BE 44 2100 4729 6545 • BIC • GEBABEBB





**Annex
of
Certificate of constancy of performance**

0493 - CPR - W015

**Decorative wall covering, cotton backed vinyl wall covering with Vescom
Protect, FR treated**

Related commercial names to this product group are:

- Vescom vinyl wallcoverings with Vescom protect

The obtained classification is based on the next test reports:

- MPA Dresden: Nr. 20180730/01

This certificate consists of 1 certificate and 1 annex

