



Prestatieverklaring

Nr : DOP-CPR-01001

- Producttype**
Decoratieve wandbekleding beschreven als: "Met katoen versterkte vinyl wandbekleding, brandvertragend behandeld, met een totale massa van 350-800 g/m²"
- Beschrijving van het producttype** - zie etiket op de rollen voor nadere informatie.
- Beoogde toepassing**
Product is bedoeld om te verlijmen op binnenwanden of scheidingswanden met brandklasse A2-s1-d0 of beter. Decoratie is het primaire doel.
- Fabrikant**
Vescom BV
St. Jozefstraat 20
5753 AV Deurne, Nederland
- Gemachtigde vertegenwoordiger** - niet van toepassing
- Systeem voor de beoordeling** - Systeem 1
- Geharmoniseerde norm EN 15102**
Aangemelde productcertificatie instantie Centexbel: 0493, heeft het producttype bepaald op basis van type-testen (inclusief steekproeven), heeft de initiële inspectie van de fabrieksvestiging en de fabrieksproductiecontrole, het continue toezicht, de beoordeling en evaluatie van de fabrieksproductiecontrole volgens systeem 1 uitgevoerd en heeft het certificaat van prestatiebestendigheid 0493-CPR-W014 uitgereikt.

8. Aangegeven prestaties

Essentiële kenmerken		Prestaties	Geharmoniseerde technische specificatie
Brandreactie volgens EN 13501-1	EN 13501-1	B-s2, d0	EN 15102:2007 A1:2011
Afgifte van formaldehyde	EN 12149-C	< 0,1 mg / kg	
Afgifte van vinylchloridemonomeer	EN 12149-B	< 0,2 mg / kg	
Afgifte van zware metalen	EN 12149-A	Antimoon < 0,60 mg / kg Arseen < 0,50 mg / kg Barium 5,58 mg / kg Cadmium < 0,10 mg / kg Chroom < 0,20 mg / kg Lood < 0,05 mg / kg Kwik < 0,10 mg / kg Selenium < 1,00 mg / kg	
Geluidsabsorptie		NPD	
Thermische weerstand		NPD	

- De prestaties van het product, vermeld in de punten 1 en 2, is in overeenstemming met de aangegeven prestaties in punt 8. Deze prestatieverklaring wordt verstrekt onder volledige verantwoordelijkheid van de fabrikant, genoemd in punt 4.

Ondertekend voor en namens de fabrikant door

Frank van Werkum, directeur
Deurne, 7 juli 2017



Certificate of constancy of performance

0493 - CPR - W014

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Decorative wall covering, cotton backed vinyl wall covering, FR treated

Vinyl topcoat of 310 – 760 g/m² and cotton backing of 40 g/m²

Total mass: 350 g/m² - 800 g/m²

B-s2, d0

Used over a Calcium silicate plate 11 mm 870 kg/m³ and all substrates classified A1 and A2-s1,d0 which density is superior to 652.5 kg/m³ (except plasterboards) glued with vertical joint

produced by or for

VESCOM BV

St. Jozefstraat 20

5753 AV DEURNE

NEDERLAND

and produced in the manufacturing plant (s)

VESCOM BV

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

EN 15102:2007

under system 1 are applied and that

the product fulfils (products fulfil) all the prescribed requirements set out above.

This certificate was first issued on July 7th 2017 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly and latest on July 31st 2023.

This certificate has been drawn up in accordance with the general certification regulation of Centexbel which is available via <https://www.centexbel.be>

This certificate consists of 1 certificate and 1 annex

Zwijnaarde, March 5th 2021

Inge De Witte
Certification Manager

CENTEXBEL • textile competence centre • www.centexbel.be

GENT • Technologiepark 70 • BE 9052 Gent • Belgium • phone +32 9 220 41 51 • fax +32 9 220 49 55 • gent@centexbel.be

VAT • BE 0459.218.289 • **IBAN •** BE 44 2100 4729 6545 • **BIC •** GEBABEBB



**Annex
of
Certificate of constancy of performance**

0493 - CPR – W014

Decorative wall covering, cotton backed vinyl wall covering, FR treated

Related commercial names to this product group are:

- Vescom vinyl wallcoverings
- Vescom XL digitally printed vinyl wallcovering

The obtained classification is based on the next test reports:

- CREPIM: DO-18-0159/A-R1 dd. 21/08/2018
- CREPIM: DO-18-0260/A-R1 dd. 28/09/2018

This certificate consists of 1 certificate and 1 annex

