



## Déclaration de performance

N° : DOP-CPR-01001

- Type de produit**  
Revêtement mural décoratif référencé : « Revêtement mural en vinyle à endos de coton traité FR avec une masse totale de 350 - 800 g/m<sup>2</sup> »
- Référence du type de produit** - Voir les détails sur l'étiquette des rouleaux.
- Usage prévu**  
Tendu sur des parois ou cloisons intérieures ayant une cote de résistance aux incendies A2-s1, d0 ou meilleure au moyen d'un adhésif dans un but principal de la décoration
- Fabricant**  
Vescom B.V.  
St. Jozefstraat 20  
5753 AV Deurne Pays-Bas
- Représentant autorisé** - Sans objet
- Système d'évaluation** - Système 1
- Norme harmonisée EN 15102**  
Organisme de certification notifié Centexbel : 0493, a effectué la détermination du type de produit sur la base de tests de type (y compris échantillonnage), inspection initiale de l'usine et du contrôle de production en usine, surveillance continue, évaluation du contrôle de production en usine et certificat de constance de performance 0493-CPR-W014

8. Performance déclarée

Caractéristique essentielle		Performance	Spécification technique harmonisée
Réaction au feu EN 13501-1	EN 13501-1	B-s2, d0	EN 15102:2007 A1:2011
Dégagement de formaldéhyde	EN 12149-C	< 0,1 mg / kg	
Dégagement de chlorure de vinyle monomère	EN 12149-B	< 0,2 mg / kg	
Dégagement de métaux lourds	EN 12149-A	Antimoine < 0,60 mg / kg Arsenic < 0,50 mg / kg Barium 5,58 mg / kg Cadmium < 0,10 mg / kg Chrome < 0,20 mg / kg Plomb < 0,05 mg / kg Mercure < 0,10 mg / kg Sélénium < 1,00 mg / kg	
Absorption acoustique		NPD	
Résistance thermique		NPD	

9. Les performances du produit identifiées aux points 1 et 2 sont conformes à la performance déclarée au point 8. Cette déclaration de performance est établie sous la seule responsabilité du fabricant identifié au point 4.

Signé pour et au nom du fabricant par

Frank van Werkum, Directeur  
Deurne, 7 juillet 2017



## Certificate of constancy of performance

0493 - CPR - W014

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

**Decorative wall covering, cotton backed vinyl wall covering, FR treated**

**Vinyl topcoat of 310 – 760 g/m<sup>2</sup> and cotton backing of 40 g/m<sup>2</sup>**

**Total mass: 350 g/m<sup>2</sup> - 800 g/m<sup>2</sup>**

# B-s2, d0

Used over a Calcium silicate plate 11 mm 870 kg/m<sup>3</sup> and all substrates classified A1 and A2-s1,d0 which density is superior to 652.5 kg/m<sup>3</sup> (except plasterboards) glued with vertical joint

produced by or for

**VESCOM BV**

**St. Jozefstraat 20**

**5753 AV DEURNE**

**NEDERLAND**

and produced in the manufacturing plant (s)

**VESCOM BV**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

**EN 15102:2007**

under system 1 are applied and that

***the product fulfils (products fulfil) all the prescribed requirements set out above.***

This certificate was first issued on July 7th 2017 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly and latest on July 31<sup>st</sup> 2023.

This certificate has been drawn up in accordance with the general certification regulation of Centexbel which is available via <https://www.centexbel.be>

**This certificate consists of 1 certificate and 1 annex**

Zwijnaarde, March 5<sup>th</sup> 2021

Inge De Witte  
Certification Manager

**CENTEXBEL • textile competence centre • [www.centexbel.be](http://www.centexbel.be)**

**GENT • Technologiepark 70 • BE 9052 Gent • Belgium • phone +32 9 220 41 51 • fax +32 9 220 49 55 • [gent@centexbel.be](mailto:gent@centexbel.be)**

**VAT • BE 0459.218.289 • IBAN • BE 44 2100 4729 6545 • BIC • GEBABEBB**



**Annex  
of  
Certificate of constancy of performance**

**0493 - CPR – W014**

**Decorative wall covering, cotton backed vinyl wall covering, FR treated**

Related commercial names to this product group are:

- Vescom vinyl wallcoverings
- Vescom XL digitally printed vinyl wallcovering

The obtained classification is based on the next test reports:

- CREPIM: DO-18-0159/A-R1 dd. 21/08/2018
- CREPIM: DO-18-0260/A-R1 dd. 28/09/2018

**This certificate consists of 1 certificate and 1 annex**

