

## Leistungserklärung

Nr.: DOP-CPR-01001

1. **Produkttyp**  
Dekorative Wandbekleidung: „Vinyl-Wandbekleidung mit Baumwollrückseite, FR-behandelt, mit einer Gesamtmasse von 350 – 800 g/m<sup>2</sup>“
2. **Produkttypferenz** – Details siehe Label auf den Rollen.
3. **Vorgesehene(r) Verwendungszweck(e)**  
Hängend an Innenwänden oder Trennwänden, die über Brandschutzeigenschaften A2-s1, d0 oder besser verfügen, befestigt mit Kleber, primär zu Dekorationszwecken.
4. **Hersteller**  
Vescom B.V.  
St. Jozefstraat 20  
5753 AV Deurne  
Niederlande
5. **Bevollmächtigter** – Keine Angabe
6. **System zur Bewertung und Überprüfung der Leistungsbeständigkeit** – System 1
7. **Harmonisierungsstandard EN 15102**  
Die notifizierte Produktzertifizierungsstelle Centexbel – 0493 – hat die Ermittlung des Produkttyps auf Basis einer Typenprüfung (einschließlich Probeentnahme) sowie die Erstinspektion des Werkes und der werkseigenen Produktionskontrolle inklusive der laufenden Überwachung, Bewertung und Evaluierung der werkseigenen Produktionskontrolle nach dem System 1 vorgenommen und eine Bescheinigung der Leistungsbeständigkeit 0493-CPR-W014 ausgestellt.

8. **Erklärte Leistung**

Wesentliche Eigenschaften		Leistung	Harmonisierte technische Spezifikation
Reaktion auf Feuer EN 13501-1	EN 13501-1	B-s2, d0	EN 15102:2007 A1:2011
Freisetzung von Formaldehyd	EN 12149-C	< 0,1 mg / kg	
Freisetzung von Vinylchlorid-Monomer	EN 12149-B	< 0,2 mg / kg	
Freisetzung von Schwermetallen	EN 12149-A	Antimon < 0,60 mg / kg Arsen < 0,50 mg / kg Barium 5,58 mg / kg Kadmium < 0,10 mg / kg Chrom < 0,20 mg / kg Blei < 0,05 mg / kg Quecksilber < 0,10 mg / kg Selen < 1,00 mg / kg	
Schallabsorption		NPD	
Thermischer Widerstand		NPD	

9. Die Produktleistung aus Punkt 1 und 2 entspricht der erklärten Leistung aus Punkt 8. Für die Erstellung der Leistungserklärung ist allein der unter Punkt 4 genannte Hersteller verantwortlich.

Unterschrieben für den Hersteller und im Auftrag des Herstellers von

Frank van Werkum, Direktor  
Deurne, 7. Juli 2017





## Certificate of constancy of performance

0493 - CPR - W014

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

**Decorative wall covering, cotton backed vinyl wall covering, FR treated**

**Vinyl topcoat of 310 – 760 g/m<sup>2</sup> and cotton backing of 40 g/m<sup>2</sup>**

**Total mass: 350 g/m<sup>2</sup> - 800 g/m<sup>2</sup>**

# B-s2, d0

Used over a Calcium silicate plate 11 mm 870 kg/m<sup>3</sup> and all substrates classified A1 and A2-s1,d0 which density is superior to 652.5 kg/m<sup>3</sup> (except plasterboards) glued with vertical joint

produced by or for

**VESCOM BV**

**St. Jozefstraat 20**

**5753 AV DEURNE**

**NEDERLAND**

and produced in the manufacturing plant (s)

**VESCOM BV**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

**EN 15102:2007**

under system 1 are applied and that

***the product fulfils (products fulfil) all the prescribed requirements set out above.***

This certificate was first issued on July 7th 2017 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly and latest on July 31<sup>st</sup> 2023.

This certificate has been drawn up in accordance with the general certification regulation of Centexbel which is available via <https://www.centexbel.be>

**This certificate consists of 1 certificate and 1 annex**

Zwijnaarde, March 5<sup>th</sup> 2021



Inge De Witte  
Certification Manager

**CENTEXBEL • textile competence centre • [www.centexbel.be](http://www.centexbel.be)**

**GENT •** Technologiepark 70 • BE 9052 Gent • Belgium • phone +32 9 220 41 51 • fax +32 9 220 49 55 • [gent@centexbel.be](mailto:gent@centexbel.be)

**VAT •** BE 0459.218.289 • **IBAN •** BE 44 2100 4729 6545 • **BIC •** GEBABEBB



**Annex  
of  
Certificate of constancy of performance**

**0493 - CPR – W014**

**Decorative wall covering, cotton backed vinyl wall covering, FR treated**

Related commercial names to this product group are:

- Vescom vinyl wallcoverings
- Vescom XL digitally printed vinyl wallcovering

The obtained classification is based on the next test reports:

- CREPIM: DO-18-0159/A-R1 dd. 21/08/2018
- CREPIM: DO-18-0260/A-R1 dd. 28/09/2018

**This certificate consists of 1 certificate and 1 annex**

