DocuSian	Envelone	ID: A4052CA3	-0004-4204-	A344-A91D	71CD76D6
Doouoign	LINCIOPO	10.740020710		10441010	11001000

ested For:	Christine W	/ekilsky		Phone:	646-588-7575		Received:	2/14/2023	
	Vescom B.V	/.		Fax:			Completed:	2/20/2023	
	Sint Jozefst	raat 20		Mobile:			Code:	s2	
	5753 AV Du			PO#:			Test Report:	3-50507-2	
	Netherland			Email:	c.wekilsky@vescom	.com	rest keport.	5-50507-2	
· · · · T • ·	AATCC 16	Lishtfoot (A	CT 40 line						
ley Test:	AATCC 16	Lightfast/A	CT 40 Hrs						
	2110XXB.				vcled Polyester 18.4 End Use: wallcove		AS Free water	repellant &	
est Category	r: Lightfastnes	S	Specifier: ACT	LE	2020; V 7/21 DK	PC: NS	dl/SM		
EST PERF	FORMED:	AATCC Te	est Method 16.3	Option 3 -	Colorfastness to L	ight (Xenon A	Arc Lamp, Con	tinuous Lig	ht)
As ci	ited by the	ACT Volu	ntary Performan	ce Guidelin	es (December 20	21)			
Evalı	uated by co	omparison	with AATCC Gr	av Scale fo	r Evaluating Char	nae in Color			
				.,		.g			
Lvan							1.4.		
Lvan			CATEGORY:			NCE CRITER			
Evan	[Upholst	ery	20	40 hours -	Grade 4 minir	num		
		□ Upholst ⊠ Direct G	ery Blue Wallcovering	•	40 hours - 40 hours -	Grade 4 minir Grade 4 minir	num num		
Lvan	ם כ ב	□ Upholst ⊠ Direct G	ery Glue Wallcovering d Panels & Uph	•	40 hours - 40 hours - alls 40 hours -	Grade 4 minir	num num num		
	ם כ ב	□ Upholst ⊠ Direct G □ Wrappe	ery Glue Wallcovering d Panels & Uph	•	40 hours - 40 hours - alls 40 hours -	Grade 4 minir Grade 4 minir Grade 4 minir	num num num		
RESULTS:		□ Upholst ⊠ Direct G □ Wrappe □ Drapery	ery Blue Wallcoverin d Panels & Uph	•	40 hours - 40 hours - alls 40 hours -	Grade 4 minir Grade 4 minir Grade 4 minir	num num num		
RESULTS:	ם כ ב	□ Upholst ⊠ Direct G □ Wrappe □ Drapery	ery Glue Wallcovering d Panels & Uph	•	40 hours - 40 hours - alls 40 hours -	Grade 4 minir Grade 4 minir Grade 4 minir	num num num		
RESULTS: Num	nber of Ho 40	□ Upholst ⊠ Direct G □ Wrappe □ Drapery	ery Glue Wallcoverin d Panels & Uph / Rating	•	40 hours - 40 hours - alls 40 hours -	Grade 4 minir Grade 4 minir Grade 4 minir	num num num		
RESULTS: Num REMARKS:	nber of Ho 40	□ Upholst ⊠ Direct G □ Wrappe □ Drapery	ery Glue Wallcoverin d Panels & Uph / Rating	•	40 hours - 40 hours - alls 40 hours -	Grade 4 minir Grade 4 minir Grade 4 minir	num num num		
RESULTS: Num REMARKS: RATING SY Grade 5 Grade 4 Grade 3 Grade 2	nber of Ho 40 : None. YSTEM: 5 – No fadir 4 – Slight fa 3 – Noticeal 2 – Conside	□ Upholst □ Direct G □ Wrappe □ Drapery urs urs urs ble fading erable fading	ery Glue Wallcovering of Panels & Uph of Rating Grade 5	olstered Wa	40 hours - 40 hours - alls 40 hours -	Grade 4 minir Grade 4 minir Grade 4 minir	num num num		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a maximum of 45 days only.

DocuSign Envelope ID: A4052CA3-00D4-42DA-A344-A91D71CD76D6

SGS					
Tested For:	Christine Wekilsky	Phone:	646-588-7575	Received:	2/14/2023
	Vescom B.V.	Fax:		Completed:	2/20/2023
	Sint Jozefstraat 20	Mobile:		Code:	S2
	5753 AV Duerne	PO#:		Test Report:	3-50507-2
	Netherland, B.V.	Email:	c.wekilsky@vescom.com		

Key Test: AATCC 16 Lightfast/ACT 40 Hrs

CONCLUSION: Based on the above Results and Acceptance Criteria, the item tested:

 \boxtimes Complies; \square Does not comply

CERTIFICATION: I certify that the above results were obtained after testing specimens in accordance with the procedures and equipment specified above.

DocuSigned by:

Bobby Brown B50EB94D593C454.

2/21/2023

AUTHORIZED SIGNATURE SGS NORTH AMERICA /jab/gb

ΤM

Ver. 2021-03-09 10:35

Page 2 of 2

64

The results contained in this report relate only to the item(s) tested. The test report shall not be reproduced except in full, without written approval from SGS North America.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not except parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a maximum of 45 days only.

96 Allen Boulevard Suite D, Farmingdale, NY 11735 USA • Phone: (631) 293-8944 • Email: govmark.test.reports@sgs.com

SGS	S							
Tested For:	Christine We	kileby	Phone: 646	-588-7575	P	eceived:	2/14/2023	
resteu ror.	Vescom B.V.	RIISKY	Fax:	-366-7373		ompleted:		
	Sint Jozefstra	at 20	Mobile:			ode:	Z/20/2023 T3	
					_		-	
	5753 AV Duei		PO#:			est Report:	3-50508-3	
	Netherland, E	3.V.	Email: c.w	ekilsky@vescom.co	m			
Key Test:	AATCC 16 Li	ghtfast/ACT 40 Hrs						
Client's Identi	ification:							
		Composition: Polyethylene linear yard. Color: teal/ora				S Free water	repellant &	
est Categorv	: Lightfastness	Specifier: ACT	LE 202	0; V 7/21 DK	PC: NS	dl/SM		_
est Category	. Lightiastness	Specilier. ACT	LE 202	0, V 7/21 DK	PC: NS	01/511		
EST PER	FORMED: A	ATCC Test Method 16.3	3 Option 3 - Col	orfastness to Lig	ht (Xenon Arc	Lamp, Con	tinuous Lig	ht
As c	ited by the A	CT Voluntary Performar	nce Guidelines (December 2021)			
Eval	uated by con	nparison with AATCC G	Gray Scale for Ev	valuating Change	e in Color			
Eval		nparison with AATCC G RODUCT CATEGORY:	-		e in Color CE CRITERIA:			
Eval	PF	•	-	ACCEPTANO				
Eval	PF	RODUCT CATEGORY:		ACCEPTANC 40 hours - Gr	CE CRITERIA:	n		
Eval	PF	RODUCT CATEGORY: Upholstery Direct Glue Wallcoverir	ngs	ACCEPTANC 40 hours - Gr 40 hours - Gr	CE CRITERIA: ade 4 minimur	n n		
Eval	PF	RODUCT CATEGORY: Upholstery	ngs	ACCEPTANC 40 hours - Gr 40 hours - Gr 40 hours - Gr	CE CRITERIA: ade 4 minimur ade 4 minimur	n n n		
		RODUCT CATEGORY: Upholstery Direct Glue Wallcoverir Wrapped Panels & Uph	ngs	ACCEPTANC 40 hours - Gr 40 hours - Gr 40 hours - Gr	CE CRITERIA: ade 4 minimur ade 4 minimur ade 4 minimur	n n n		
		RODUCT CATEGORY: Upholstery Direct Glue Wallcoverir Wrapped Panels & Uph	ngs	ACCEPTANC 40 hours - Gr 40 hours - Gr 40 hours - Gr	CE CRITERIA: ade 4 minimur ade 4 minimur ade 4 minimur	n n n		
RESULTS:		RODUCT CATEGORY: Upholstery Direct Glue Wallcoverir Wrapped Panels & Uph Drapery	ngs	ACCEPTANC 40 hours - Gr 40 hours - Gr 40 hours - Gr	CE CRITERIA: ade 4 minimur ade 4 minimur ade 4 minimur	n n n		
RESULTS:	PF	RODUCT CATEGORY: Upholstery Direct Glue Wallcoverir Wrapped Panels & Uph Drapery	ngs	ACCEPTANC 40 hours - Gr 40 hours - Gr 40 hours - Gr	CE CRITERIA: ade 4 minimur ade 4 minimur ade 4 minimur	n n n		
RESULTS:	nber of Hour	RODUCT CATEGORY: Upholstery Direct Glue Wallcoverir Wrapped Panels & Uph Drapery	ngs	ACCEPTANC 40 hours - Gr 40 hours - Gr 40 hours - Gr	CE CRITERIA: ade 4 minimur ade 4 minimur ade 4 minimur	n n n		
RESULTS: Nun	nber of Hour	RODUCT CATEGORY: Upholstery Direct Glue Wallcoverir Wrapped Panels & Uph Drapery	ngs	ACCEPTANC 40 hours - Gr 40 hours - Gr 40 hours - Gr	CE CRITERIA: ade 4 minimur ade 4 minimur ade 4 minimur	n n n		
RESULTS: Nun	nber of Hour	RODUCT CATEGORY: Upholstery Direct Glue Wallcoverir Wrapped Panels & Uph Drapery	ngs	ACCEPTANC 40 hours - Gr 40 hours - Gr 40 hours - Gr	CE CRITERIA: ade 4 minimur ade 4 minimur ade 4 minimur	n n n		
RESULTS: Nun REMARKS	nber of Hour 40	RODUCT CATEGORY: Upholstery Direct Glue Wallcoverir Wrapped Panels & Uph Drapery	ngs	ACCEPTANC 40 hours - Gr 40 hours - Gr 40 hours - Gr	CE CRITERIA: ade 4 minimur ade 4 minimur ade 4 minimur	n n n		
RESULTS: Nun REMARKS RATING SY Grade 5	nber of Hour 40 : None. YSTEM: 5 – No fading	RODUCT CATEGORY: Upholstery Direct Glue Wallcoverir Wrapped Panels & Uph Drapery rs Rating Grade 5	ngs	ACCEPTANC 40 hours - Gr 40 hours - Gr 40 hours - Gr	CE CRITERIA: ade 4 minimur ade 4 minimur ade 4 minimur	n n n		
RESULTS: Nun REMARKS RATING SY Grade 5 Grade 2	nber of Hour 40 : None. YSTEM: 5 – No fading 4 – Slight fad	RODUCT CATEGORY: Upholstery Direct Glue Wallcoverir Wrapped Panels & Uph Drapery rs Rating Grade 5	ngs holstered Walls	ACCEPTANC 40 hours - Gr 40 hours - Gr 40 hours - Gr	CE CRITERIA: ade 4 minimur ade 4 minimur ade 4 minimur	n n n		
RESULTS: Nun REMARKS RATING SY Grade 5 Grade 2 Grade 3	PF	RODUCT CATEGORY: Upholstery Direct Glue Wallcoverir Wrapped Panels & Uph Drapery rs Rating Grade 5	ngs holstered Walls	ACCEPTANC 40 hours - Gr 40 hours - Gr 40 hours - Gr	CE CRITERIA: ade 4 minimur ade 4 minimur ade 4 minimur	n n n		
RESULTS: Nun REMARKS RATING SY Grade 2 Grade 2 Grade 2 Grade 2	PF PF PF PF PF P P P P P P P P P P P P P	RODUCT CATEGORY: Upholstery Direct Glue Wallcoverir Wrapped Panels & Uph Drapery rs Rating Grade 5 g or color change ing or color change e fading or color change e fading or color change	ngs holstered Walls	ACCEPTANC 40 hours - Gr 40 hours - Gr 40 hours - Gr	CE CRITERIA: ade 4 minimur ade 4 minimur ade 4 minimur	n n n		
RESULTS: Nun REMARKS RATING SY Grade 2 Grade 2 Grade 2 Grade 2	PF PF PF PF PF P P P P P P P P P P P P P	RODUCT CATEGORY: Upholstery Direct Glue Wallcoverir Wrapped Panels & Uph Drapery rs Rating Grade 5 g or color change ing or color change e fading or color change able fading or color change	ngs holstered Walls	ACCEPTANC 40 hours - Gr 40 hours - Gr 40 hours - Gr	CE CRITERIA: ade 4 minimur ade 4 minimur ade 4 minimur	n n n		

http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a maximum of 45 days only.

96 Allen Boulevard Suite D, Farmingdale, NY 11735 USA • Phone: (631) 293-8944 • Email: govmark.test.reports@sgs.com

DocuSign Envelope ID: BB2D4E1A-DB34-444A-93A7-3F0B06835B26

SGS					
Tested For:	Christine Wekilsky	Phone: 646-	588-7575	Received:	2/14/2023
	Vescom B.V.	Fax:		Completed:	2/20/2023
	Sint Jozefstraat 20	Mobile:		Code:	Т3
	5753 AV Duerne	PO#:		Test Report:	3-50508-3
	Netherland, B.V.	Email: c.we	ekilsky@vescom.com		

Key Test: AATCC 16 Lightfast/ACT 40 Hrs

CONCLUSION: Based on the above Results and Acceptance Criteria, the item tested:

 \boxtimes Complies; \square Does not comply

CERTIFICATION: I certify that the above results were obtained after testing specimens in accordance with the procedures and equipment specified above.

—DocuSigned by: Bobby Brown

B50EB94D593C454.

2/21/2023

AUTHORIZED SIGNATURE SGS NORTH AMERICA /jab/gb

ΤМ

Ver. 2021-03-09 10:35

Page 2 of 2

64

The results contained in this report relate only to the item(s) tested. The test report shall not be reproduced except in full, without written approval from SGS North America.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/terms-e-document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for a maximum of 45 days only.

96 Allen Boulevard Suite D, Farmingdale, NY 11735 USA • Phone: (631) 293-8944 • Email: govmark.test.reports@sgs.com