



Report Number: 18-001184 Revision Number:1 Date Order Received: 02/27/2018

For the Account of:

Vescom America Inc. 2289 Ross Mill Road Henderson, NC 272537

Bowen 7030 Test #594

Client's Identification:

CERTIFICATE OF TESTING

TEST PERFORMED: Pilling Resistance and Other Related Surface Changes of Textile Fabrics: Brush Pilling Tester ASTM D3511/D3511M-16

TEST RESULTS

	Rating
Left	5.0
Center	5.0
Right	5.0
Average Rating	5.0

RATING SYSTEM

	Class 5.0	No Pilling		
	Class 4.0	Slight Pilling		
	Class 3.0	Moderate Pilli	ng	
	Class 2.0	Severe Pilling		
	Class 1.0	Very Severe Pilling		
	NOTES			
Test Conditions:		ns:	70 ±4°F, 65 ±5% Relative Humidity	
Sampling Method:		hod:	As Received	
	Viewing Appa	ratue	Machath Lighthooth	

Sampling Method:	As Received
Viewing Apparatus:	Macbeth Lightbooth
Viewing Option:	45 degree
Rating Standard:	ADJD3512 Photographic Standards
Running Times:	4 minutes brushing / 2 minutes pilling

ACCEPTANCE CRITERIA

A.C.T. Standard:	Acceptance Criteria
Upholstery	Class 3 minimum

CERTIFICATION I certify that the above results were obtained after testing specimen in accordance with the procedures and equipment specified by the standard stated above.

ata Stiver

Authorized Signature

553 76th Street, Byron Center, MI 49315

P: 616-559-6123 E: testlab@applied-textiles.com

Date Order Completed: 03/01/2018

Page 1 of 1

This laboratory test is not intended to reflect fabric performance under actual conditions. The certification procedure merely measures the performance of samples under the predetermined and specific test conditions prescribed by the standard specified. This certificate applies only to the standards or processing identified and to the random sample(s) tested. The test results are representative of the qualities of the piece or lot only to the standards or processing identified and to the random sample(s) tested. The test results are representative of the qualities of the piece or lot only to the extent the sample tested is representative of the piece or lot.