



Declaration of Performance

No : DOP-CPR-01004

1. Product type
Decorative wallcovering referenced: "Flame retardant wallcovering made of a Polyester (39%) woven fabric with a double coated PVC (61%) layer with a total mass of about 380 g/m²"
2. Product type reference - For details see label on the rolls.
3. Intended use
Hanging on to internal walls or partitions having a fire performance of A2-s1, d0 or better by means of adhesive for the primary purpose of decoration
4. Manufacturer
Vescom BV
St. Jozefstraat 20
5753 AV Deurne The Netherlands
5. Authorized representative - Not applicable
6. System of assessment - System 1
7. Harmonized standard EN 15102
Notified product certification body Centexbel: 0493, performed the determination of the product type on the basis of type testing (including sampling), initial inspection of the manufacturing plant and of factory production control, continuous surveillance, assessment and evaluation of factory production control under system 1 and issued the certificate of constancy of performance 0493-CPR-W018

8. Declared performance

Essential characteristic		Performance	Harmonized technical specification	
Reaction to fire EN 13501-1	EN 13501-1	B-s2, d0	EN 15102:2007 A1:2011	
Release of formaldehyde	EN 12149-C	< 0.1 mg / kg		
Release of vinyl chloride monomer	EN 12149-B	< 0.2 mg / kg		
Release of heavy metals	EN 12149-A	Antimony		5.90 mg / kg
		Arsenic		< 0.50 mg / kg
		Barium		< 0.10 mg / kg
		Cadmium		< 0.10 mg / kg
		Chromium	< 0.20 mg / kg	
		Lead	0.10 mg / kg	
		Mercury	< 0.10 mg / kg	
		Selenium	< 1.00 mg / kg	
Sound absorption		NPD		
Thermal resistance		NPD		

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by Frank van Werkum, Director Deurne



Certificate of constancy of performance

0493 - CPR - W018

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Decorative wall covering, polyester woven fabric (39%) with double coated PVC layer (61%), FR treated

**Total mass: 380 g/m²
Total thickness: 0.34 mm**

B-s2, d0

Glued on Calcium Silicate Plate with 170 g/m² Vescom 2000, vertical joints

produced by or for

**VESCOM BV
St. Jozefstraat 20
5753 AV DEURNE
NEDERLAND**

and produced in the manufacturing plant (s)

VESCOM BV

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

EN 15102:2007

under system 1 are applied and that

the product fulfils (products fulfil) all the prescribed requirements set out above.

This certificate was first issued on May 10th 2019 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly and latest on May 9th 2022.

This certificate consists of 1 certificate and 1 annex

Zwijnaarde, May 10th 2019

A handwritten signature in black ink, appearing to read 'Inge De Witte', is written over a large, stylized signature graphic.

Inge De Witte
Certification Manager



**Annex
of
Certificate of constancy of performance**

0493 - CPR – W018

Decorative wall covering, polyester woven fabric (39%) with double coated PVC layer (61%), FR treated

Related commercial names to this product group are:

- Baru
- Langor

The obtained classification is based on the next test reports:

- CREPIM: DO-18-0200/A-R1 dd. 11/09/2018

This certificate consists of 1 certificate and 1 annex

