



Dichiarazione di prestazione (DOP)

N° : DOP-CPR-01001

1. Tipo prodotto
Rivestimenti murali decorativi a cui si fa riferimento: " Rivestimenti murali in vinile su supporto in cotone, con trattamento ignifugo e una massa totale di 350 – 800 g/m²"
2. Riferimento tipo di prodotto - Per maggiori dettagli vedere l'etichetta sulle bobine.
3. Uso previsto
Applicazione su pareti interne o divisori con una resistenza al fuoco di A2-s1-d0 o superiore, con l'utilizzo di un adesivo con uno scopo primario di decorazione.
4. Produttore
Vescom B.V.
St. Jozefstraat 20
5753 AV Deurne Olanda
5. Rappresentante autorizzato - Non applicabile
6. Sistema di valutazione - Sistema 1
7. Norma di riferimento EN 15102
Ente di certificazione prodotto notificato Centexbel: 0493, eseguita la determinazione del tipo di prodotto in base a prove di tipo (campionamento incluso), ispezione iniziale del sito di produzione e del controllo della produzione in fabbrica, sorveglianza continua, perizia e valutazione del controllo della produzione in fabbrica secondo il sistema 1 e rilascio del certificato di costanza di prestazione 0493-CPR-W014


8. Prestazione dichiarata

Caratteristica essenziale		Prestazione	Specifica tecnica armonizzata
Reazione al fuoco EN 13501-1	EN 13501-1	B-s2, d0	EN 15102:2007 A1:2011
Rilascio di formaldeide	EN 12149-C	< 0.1 mg / kg	
Rilascio di cloruro di vinile monomero	EN 12149-B	< 0.2 mg / kg	
Rilascio di metalli pesanti	EN 12149-A	Antimonio < 0.60 mg / kg Arsenico < 0.50 mg / kg Bario 5.58 mg / kg Cadmio < 0.10 mg / kg Cromo < 0.20 mg / kg Piombo < 0.05 mg / kg Mercurio < 0.10 mg / kg Selenio < 1.00 mg / kg	
Assorbimento del suono		NPD [nessuna prestazione determinata]	
Resistenza termica		NPD [nessuna prestazione determinata]	

9. La prestazione del prodotto identificato ai punti 1 e 2 è conforme alla prestazione dichiarata al punto 8. Questa dichiarazione di prestazione viene rilasciata sotto la sola responsabilità del produttore identificato al punto 4.

Firmato a nome e per conto del produttore da

Frank van Werkum, Direttore
Deurne, 7 Luglio 2017



Certificate of constancy of performance

0493 - CPR - W014

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Decorative wall covering, cotton backed vinyl wall covering, FR treated

Vinyl topcoat of 310 – 760 g/m² and cotton backing of 40 g/m²

Total mass: 350 g/m² - 800 g/m²

B-s2, d0

Glued on Calcium Silicate Plate

produced by or for

VESCOM BV

St. Jozefstraat 20

5753 AV DEURNE

NEDERLAND

and produced in the manufacturing plant (s)

VESCOM BV

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

EN 15102:2007

under system 1 are applied and that

the product fulfils (products fulfil) all the prescribed requirements set out above.

This certificate was first issued on July 7th 2017 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly and latest on July 31st 2018.

This certificate consists of 1 certificate and 1 annex

Zwijnaarde, July 7th 2017

i.o.


Inge De Witte
certification officer



CENTEXBEL • textile competence centre • www.centexbel.be

GENT • Technologiepark 7 • BE 9052 Gent • Belgium • phone +32 9 220 41 51 • fax +32 9 220 49 55 • gent@centexbel.be

VAT • BE 0459.218.289 • IBAN • BE 44 2100 4729 6545 • BIC • GEBABEBB



**Annex
of
Certificate of constancy of performance**

0493 - CPR – W014

Decorative wall covering, cotton backed vinyl wall covering, FR treated

Related commercial names to this product group are:

- Vescom vinyl wallcoverings
- Vescom XL digitally printed vinyl wallcovering

The obtained classification is based on the next test reports:

- 2012-Efectis-R9438b
- 2012-Efectis-R9438c
- 2012-Efectis-R9438d
- 2012-Efectis-R9438e
- 2015-Efectis-R000382

This certificate consists of 1 certificate and 1 annex



CENTEXBEL • textile competence centre • www.centexbel.be

GENT • Technologiepark 7 • BE 9052 Gent • Belgium • phone +32 9 220 41 51 • fax +32 9 220 49 55 • gent@centexbel.be

VAT • BE 0459.218.289 • IBAN • BE 44 2100 4729 6545 • BIC • GEBABEBB