

EC Declaration of Conformity

In compliance with Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products (Construction Products Directive – CPD), amended by the Directive 93/68/ECC of the Council of European Communities of 22 July 1993, it is attested that the following product is subject to factory production control procedures.



Construction product : Wallcovering referenced :
"MS-500WA", trading as "just-rite® 7010JR48002"
"MS-500WAGP", trading as "just-rite® 7010JRGR002"
"MS-500WAMR", trading as "just-rite® harmony 7010JRHR002"
"MS-500W", trading as "just-rite® lo 7010JRLO002"

Placed on the market by : Geico Products Inc. Address : 2-60-2 Higashi-Ikebukuro
Toshima-ku, Tokyo 170-0013 Japan

Intended use : Hanging on to internal walls or partitions having a minimum thickness of 6mm and a minimum density of 1800kg/m³, having a fire performance of A2-s1-d0 or better by means of adhesive.

This document certifies that all the provisions concerning the attestation of conformity and product performance described in Annex ZA of the product standard.

EN 15102:2007

were applied and that the product fulfils all the prescribed requirements.

On the basis of this certificate, the manufacturer declares that the label of the product that is placed on to the market will bear the mark illustrated above indication its conformity with all the relevant conditions related to its supply under this certification.

Notified Certification Body : Warrington Certification Ltd. EC Reference Number : 1121
Address : Lochend Industrial Estate, Newbridge, Midlothian, EH28 8PL, U.K.

Manufacturer : Geico Products Inc.
title : Manager

Signature 
name : Rei Hagiwara

References :

Classification report : WF 306660 Extended Application report : WF 306658
Factory references : AC/002 & AC/003 CE Certificate of Conformity ref. : 1121-CPD-KA0035

Reaction to the fire class :	B - s2, d0
Release of formaldehyde :	NPD (No paper contained)
Release of heavy metals and specific elements	Passed
Release of vinyl chloride monomer	Passed
Sound absorption	NPD
Thermal resistance	NPD
Other test report by : Butterworth Laboratories	Report Number : RN-00368-11



warrington
certification

EC CERTIFICATE OF CONFORMITY

Number: 1121 – CPD – KA0035

In compliance with Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to construction products (Construction Products Directive - CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it is confirmed that the following products are subject to factory production control procedures and are submitted by the manufacturer to further testing of samples taken at the factory in accordance with a prescribed test plan. The stated Notified Certification Body has performed the initial type-testing for the relevant characteristics of the product, has conducted the initial inspection of the factory and the factory production control, and is responsible for the continuous surveillance, assessment and approval of the factory production control.

construction product : **Wallcoverings referenced:**
"MS-500WA", trading as "just•rite® 7010JR48002",
"MS-500WAGP", trading as "just•rite® 7010JRGR002",
"MS-500WAMR", trading as "just•rite® Harmony 7010JRHR002",
"MS-500W" trading as "just•rite® lo 7010JRL0002"

placed on the market by: **Gelco Products Inc**
company address: **2-60-2 Higashi-Ikebukuro**
Toshima-ku
Tokyo 170-0013
Japan

intended use: **Hanging on to Internal walls or partitions having a minimum thickness of 6mm and a minimum density of 1800kg/m³, having a fire performance of A2-s1-d0 or better by means of adhesive.**

This document certifies that all the provisions concerning the attestation of conformity and product performance described in Annex ZA of the product standard

EN 15102 : 2007

was applied and that the product fulfils all the prescribed requirements.

Notified Certification Body: **Warrington Certification Ltd**

EC Reference Number: **1121**

This certificate was first issued on **08/06/2011** and remains valid as long as the conditions laid down in the harmonised technical specification above, or the product design, or the manufacturing conditions in the factory, or the FPC itself are not modified.



Manager – Warrington Certification Ltd.

References:

Classification report: WF 306660

Extended Application report: WF 306658

Factory references: AC/002 & AC/003

Reaction to Fire Classification: B – s2, d0

Other test evidence: Butterworth Laboratories Job Ref : 1102-0003. Report ref. RN-00368-11