



Kollektion
curtain

Beschreibung
Vorhangstoff in Melange-Optik, Black-Out

Zusammensetzung
100% flame retardant polyester acrylic coating

Breite
± 277 cm, ± 109 inches

Gewicht
± 1075 gr/m¹, ± 35 oz/yd¹ fabrics

Schallabsorption
ISO 354
alphaw 0.35

Visueller & Thermischer Komfort
EN 410/EN 14501
AATCC 148

Brandschutzklasse
EN 13773, class 1
BS 5867-2, type B
DIN 4102, B1
UNI VF 8456-8457, classe 1
NFPA 701
CAN/ULC S109
IMO 2010 FTP part 7

Reibechtheit
ISO 105-X12
nass 4-5 / trocken 4-5 (Skala 1-5)
AATCC 8
nasse 5 / trocken 5 (Skala 1-5)

Lichtechtheit
ISO 105-B02
5 (Skala 1-8)
AATCC 16.3: 60 hours
2.5 (Skala 1-5)

Nahtschiebewiderstand
ASTM D434
warp 44 lbs / weft 49.5 lbs

Pflege


Schrumpfwerte: Kette -0.9% / Schuss -0.6%



Schrumpfwerte: Kette -1.5% / Schuss -1.2%



elba

8069.01 - 8069.20




8069.01




8069.02




8069.03




8069.04



8069.05



8069.06



8069.07




8069.08




8069.09




8069.10




8069.11




8069.12




8069.13




8069.14




8069.15




8069.16




8069.17



8069.18



8069.19



8069.20