


# coron

8049.01 - 8049.20



binder

**curtain 01**

description

**woven linear structure**

composition

**100% flame retardant polyester**

width

**± 157 cm, ± 62 inches**

weight

**± 297 gr/m<sup>1</sup>, ± 10 oz/yd<sup>1</sup> fabrics**

visual & thermal comfort

**EN 410/EN 14501**

flame retardancy

**EN 13773, class 1**

**BS 5867-2, type C**

**NF P 92/503-507, M1**

**DIN 4102, B1**

**UNI VF 8456-8457, classe 1**

**IMO 2010 FTP part 7**

**NFPA 701:2010-1**

**CAN ULC S109**

colorfastness to crocking

**ISO 105-X12**

wet 4-5 / dry 4-5 (scale 1-5)

**AATCC 8**

wet 5 / dry 5 (scale 1-5)

colorfastness to light

**ISO 105-B02**

6 (scale 1-8)

**AATCC 16.3: 60 hrs**

5 (scale 1-5)

seam slippage

**ISO 13936-2**

warp 4 mm / weft 3.7 mm

**ASTM D434**

warp 29 lbs / weft 28 lbs

care



**shrinkage: warp -0.7% / weft -0.5%**



**shrinkage: warp -1.8% / weft -1.6%**




# coron

8049.01 - 8049.20


---




8049.01



8049.02




8049.03




8049.04



8049.05



8049.06




8049.07




8049.08




8049.09



8049.10



8049.11




8049.12




8049.13



8049.14




8049.15



8049.16



8049.17



8049.18



8049.19



8049.20