


# farasan

8050.01 - 8050.16



binder

**curtain 01**

description

**contrast-rich multicolour**

composition

**100% flame retardant polyester**

width

**± 310 cm, ± 122 inches**

weight

**± 772 gr/m<sup>1</sup>, ± 25 oz/yd<sup>1</sup> fabrics**

flame retardancy

**EN 13773, class 1**

**BS 5867-2, type C**

**NF P 92/503-507, M1**

**DIN 4102, B1**

**UNI VF 8456-8457, classe 1**

**NFPA 701**

**IMO 2010 FTP part 7**

**CAN ULC S109**

colorfastness to crocking

**ISO 105-X12**

wet 4-5 / dry 4-5 (scale 1-5)

**AATCC 8**

wet 5 / dry 5 (scale 1-5)

colorfastness to light

**ISO 105-B02**

6 (scale 1-8)

**AATCC 16.3: 60 hours**

4 (scale 1-5)

seam slippage

**ISO 13936-2**

warp 3.5 mm / weft 2 mm

**ASTM D434**

warp 34 lbs / weft 15 lbs

care



**shrinkage: warp -0.8% / weft -0.9%**



**shrinkage: warp -1.2% / weft -1.6%**




# farasan

8050.01 - 8050.16

---




8050.01




8050.02




8050.03



8050.04



8050.05



8050.06



8050.07



8050.08




8050.09




8050.10



8050.11



8050.12



8050.13



8050.14



8050.15



8050.16