


# mioko

8057.01 - 8057.33



collection  
**curtain**

description  
**unpatterned satin**

composition  
**100% flame retardant polyester**

width  
**± 140 cm, ± 56 inches**

weight  
**± 413 gr/m<sup>1</sup>, ± 12 oz/yd<sup>1</sup> fabrics**

visual & thermal comfort  
**EN 410/EN 14501**

flame retardancy  
**EN 13773, class 1**  
**BS 5867-2, type C**  
**NF P 92/503-507, M1**  
**DIN 4102, B1**  
**UNI VF 8456-8457, classe 1**  
**IMO 2010 FTP part 7**  
**NFPA 701**  
**CAN ULC S109**

colorfastness to crocking  
**ISO 105-X12**  
wet 5 / dry 5 (scale 1-5)  
**AATCC 8**  
wet 5 / dry 5 (scale 1-5)

colorfastness to light

**ISO 105-B02**  
6-7 (scale 1-8)  
**AATCC 16.3: 60 hours**  
5 (scale 1-5)

seam slippage  
**ASTM D434**  
warp 45.5 lbs / weft 40.5 lbs

care



**shrinkage: warp: -1% / weft: -0,4%**



**shrinkage: warp: -1,7% / weft: -0,6%**



STANDARD  
100  
S07-0023  
Hohenstein HTTI



Universität Wien  
Institutional logo

# mioko

8057.01 - 8057.33

---



8057.01




8057.02



8057.03



8057.04




8057.05




8057.06



8057.07



8057.08



8057.09



8057.10



8057.11




8057.12



8057.13



8057.14



8057.15



8057.16



8057.17




8057.18



8057.19




8057.20



8057.21



8057.22



8057.23



8057.24



8057.25



8057.26



8057.27



8057.28




8057.29



8057.30



8057.31



8057.32



8057.33