

# corsica

8055.01 - 8055.12



collection  
**curtain**

description  
**linen look, half transparent acoustic curtain fabric**

composition  
**100% flame retardant polyester**

width  
**± 305 cm, ± 120 inches**

weight  
**± 323 gr/m<sup>1</sup>, ± 10 oz/yd<sup>1</sup> fabrics**

sound absorption  
**ISO 354**  
alphaw 0.65 (pleated)  
**ASTM C423**  
nrc 0.65

visual & thermal comfort  
**EN 410/EN 14501**

flame retardancy  
**EN 13773, class 1**  
**BS 5867 - 2, type C**  
**NF P 92 / 503 - 507, M1**  
**DIN 4102, B1**  
**UNI VF 8456 - 8457, classe 1**  
**NFPA 701**  
**CAN ULC S109**

colorfastness to crocking  
**ISO 105 X12**  
wet 4-5 / dry 4-5 (scale 1-5)  
**AATCC 8**  
wet 5 / dry 5 (scale 1-5)

colorfastness to light  
**ISO 105 B02**  
6 (scale 1-8)  
**AATCC 16.3: 60 hours**  
5 (scale 1-5)

care



**shrinkage: warp -0.5% / weft -0.7%**



**shrinkage: warp -0.7% / weft -1%**



STANDARD  
100

S07-0023  
Hohenstein HTI



Produkt ist  
nach DIN EN ISO  
14001:2015 zertifiziert  
Produktions- und Dienstleistungsbereich

# **corsica**

8055.01 - 8055.12

---



8055.01



8055.02



8055.03



8055.04



8055.05



8055.06



8055.07



8055.08




8055.09



8055.10



8055.11



8055.12