

capri



8056.01 - 8056.12



binder

curtain

03

sheer/transparent

description

unpatterned, uni half transparent acoustic curtain fabric

composition

100% flame retardant polyester

width

± 306 cm, ± 120 inches

weight

± 303 gr/m<sup>2</sup>, ± 10 oz/yd<sup>2</sup> fabrics

sound absorption

ISO 354

alphaw 0.65

ASTM C423

nrc 0.70

flame retardancy

EN 13773, class 1

BS 5867 - 2, type C

NF P 92 / 503 - 507, M1

DIN 4102, B1

UNI VF 8456 - 8457, classe 1

NFPA 701

CAN ULC S109

colorfastness to crocking

ISO 105 X12

wet 4-5 / dry 4-5 (scale 1-5)

AATCC 8

wet 5 / dry 5 (scale 1-5)

colorfastness to light

ISO 105 B02

6 (scale 1-8)

AATCC 16.3: 60 hours

4-5 (scale 1-5)

care



shrinkage: warp 0% / weft -0.6%



shrinkage: warp -0.6% / weft -1.2%



# capri

8056.01 - 8056.12

---



8056.03



8056.01



8056.02



8056.04



8056.05



8056.06




8056.07



8056.08



8056.09



8056.10



8056.11



8056.12