


# tay

8077.01 - 8077.12


 acoustics


binder

curtain

03

sheer/transparent

description

**transparent room-high acoustic curtain fabric  
with organic longitudinal stripes**

composition

**100% flame retardant polyester**

width

**± 301 cm, ± 118 inches**

weight

**± 304 gr/m<sup>1</sup>, ± 10 oz/yd<sup>1</sup> fabrics**

sound absorption

**ISO 354**

alphaw 0.6

**ASTM C423**

nrc 0.6

flame retardancy

**EN 13773, class 1**

**BS 5867-2, type C**

**NF P 92 / 503 - 507, M1**

**DIN 4102, B1**

**UNI VF 8456-8457, classe 1**

**IMO 2010 FTP part 7**

**NFPA 701**

**CAN/ULC S109**

colorfastness to crocking

**ISO 105 X12**

wet 4-5 / dry 4-5 (scale 1-5)

**AATCC 8**

wet 5 / dry 5 (scale 1-5)

colorfastness to light

**ISO 105 B02**

6 (scale 1-8)

**AATCC 16.3: 60 hours**

5 (scale 1-5)

care



**shrinkage: warp 0.2% / weft -0.8%**



# tay

8077.01 - 8077.12


---




8077.01



8077.02



8077.03



8077.04



8077.05



8077.06



8077.07



8077.08



8077.09



8077.10



8077.11



8077.12