

nias

8086.01 - 8086.13



binder
curtain
sheer/transparent

description
floor-to-ceiling curtain fabric made from 78% recycled plastic waste in a graphic grid weave construction

composition
78% recycled polyester FR / 22% polyester FR

width
± 315 cm, ± 124 inches

weight
± 375 gr/m², ± 12 oz/yd² fabrics

visual & thermal comfort
EN 410/EN 14501

flame retardancy
EN 13773, class 1
NF P 92 / 503 - 507, M1
DIN 4102, B1
UNI VF 8456-8457, classe 1
NFPA 701
CAN/ULC S109

colorfastness to crocking
ISO 105 X12
wet 4-5 / dry 4-5 (scale 1-5)
AATCC 8
wet 5 / dry 5 (scale 1-5)

colorfastness to light
ISO 105-B02
6 (scale 1-8)
AATCC 16.3: 60 hours
5 (scale 1-5)

care



shrinkage: warp -3% / weft -0.4%



STANDARD
100


S21-3365
Hohenstein HTI



Technische Universität
Hohenheim

nias


8086.01 - 8086.13




8086.01




8086.02




8086.03




8086.04




8086.05




8086.06




8086.07



8086.08



8086.09




8086.10



8086.11



8086.12



8086.13