

toby

8088.01 - 8088.12



binder
curtain
sheer/transparent

description
floor-to-ceiling natural, irregular matte curtain fabric woven with a bouclé yarn made of 85% recycled plastic waste

composition
85% recycled polyester FR / 15% polyester FR

width
± 307 cm, ± 121 inches

weight
± 491 gr/m², ± 16 oz/yd² fabrics

visual & thermal comfort
EN 410/EN 14501

flame retardancy
EN 13773, class 1
BS 5867 - 2, type C
NF P 92 / 503 - 507, M1
DIN 4102, B1
UNI VF 8456 - 8457, classe 1
IMO 2010 FTP part 7
NFPA 701
CAN/ULC S109

colorfastness to crocking
ISO 105-X12
wet 4-5 / dry 4-5 (scale 1-5)
AATCC 8
wet 5 / dry 5 (scale 1-5)

colorfastness to light
ISO 105-B02
6 (scale 1-8)
AATCC 16.3: 60 hours
5 (scale 1-5)

care



shrinkage: warp -2.6% / weft -1%



STANDARD
100
S21-3365
Hohenstein HTTI



toby


8088.01 - 8088.12



8088.01



8088.02



8088.03



8088.04



8088.05



8088.06



8088.07



8088.08



8088.09



8088.10



8088.11



8088.12