

norfolk

7069.01 – 7069.16



binder

upholstery

description

two-tonal upholstery fabric made from 100% recycled plastic waste, an all-over graphic grid with a three-dimensional effect

composition

100% recycled polyester FR

width

± 148 cm, ± 58 inches

weight

± 624 gr/m¹, ± 20 oz/yd¹ fabrics

flame retardancy

EN 1021/ 1-2

BS 5852, crib 5

NF D 60-013 (AM 18)

DIN 4102, B1

UNI 9175, classe 1.IM

Cal TB 117

NFPA 260, class 1

IMO 2010 FTP part 8

abrasion

ISO 12947-2

70.000 rubs martindale

ASTM D4157

100.000 double rubs wyzenbeek

pilling

ISO 12945-2

4-5 (scale 1-5)

colorfastness to crocking

ISO 105-X12

wet 4-5 / dry 4-5 (scale 1-5)

colorfastness to light

ISO 105-B02

6 (scale 1-8)

seam slippage

ISO 13936-2

warp 3 mm / weft 2 mm

breaking strength

ISO 13934-1

warp 1320 N / weft >2500 N

care



shrinkage: warp -2% / weft -3%




STANDARD
100


S21-3365
Hohenstein HTTI

norfolk


7069.01 – 7069.16




7069.01




7069.02




7069.03




7069.04




7069.05



7069.06




7069.07



7069.08




7069.09



7069.10



7069.11




7069.12




7069.13



7069.14



7069.15



7069.16