

farasan

8050.01 - 8050.16



binder

curtain 01

descripción

multicolor y rica en contrastes

composición

100% poliéster ignífugo

ancho

± 310 cm, ± 122 inches

peso

± 772 gr/m¹, ± 25 oz/yd¹ fabrics

confort visual & térmico

EN 410/EN 14501

combustión retardada

EN 13773, class 1

BS 5867-2, type C

NF P 92/503-507, M1

DIN 4102, B1

UNI VF 8456-8457, classe 1

NFPA 701

IMO 2010 FTP part 7

CAN ULC S109

resistencia al frotamiento

ISO 105-X12

mojado 4-5 / seco 4-5 (escala 1-5)

AATCC 8

mojado 5 / seco 5 (escala 1-5)

insensibilidad a la luz

ISO 105-B02

6 (escala 1-8)

AATCC 16.3: 60 hours

4 (escala 1-5)

resistencia al deslizamiento de costuras

ISO 13936-2

lizo 3.5 mm / trama 2 mm

ASTM D434

lizo 34 lbs / trama 15 lbs

mantenimiento



carencia: lizo -0.8% / trama -0.9%




carencia: lizo -1.2% / trama -1.6%



farasan


8050.01 - 8050.16




8050.01




8050.02




8050.03



8050.04




8050.05



8050.06



8050.07



8050.08




8050.09




8050.10



8050.11



8050.12



8050.13



8050.14



8050.15



8050.16