

hestan

7035.01 - 7035.30



binder

upholstery

description

tissu semi-uni rugueux

composition

> 37% recycled polyester FR / < 63% polyester FR

largeur

± 140 cm, ± 55 inches

poids

± 570 gr/m¹, ± 18 oz/yd¹ fabrics

non feu

EN 1021/ 1- 2

BS 5852, crib 5

NF P 92 / 503 - 507, M1

DIN 4102, B1

IMO 2010 FTP part 8

UNI 9175, classe 1 IM

Cal TB 117

résistance à l'abrasion

ISO 12947-2

60.000 rubs martindale

ASTM D4157

100.000 double rubs wyzenbeek

boulochage

ISO 12945-2

4-5 (échelle 1-5)

ASTM D3511

4-5 (échelle 1-5)

résistance au frottement

ISO 105-X12

humide 4-5 / sèche 4-5 (échelle 1-5)

AATCC 8

humide 5 / sèche 5 (échelle 1-5)

solidité lumière

ISO 105-B02

6 (échelle 1-8)

AATCC 16.3: 40 hours

5 (échelle 1-5)

résistance au glissement à la couture

ISO 13936 - 2

chaîne 2.7 mm / trame 2.7 mm

ASTM D4034

chaîne 83 lbf / trame 91 lbf

résistance à la traction

ASTM D5034

warp 353 lbs / weft 377 lbs

entretien



rétrécissement: chaîne -1.5% / trame -1.5%



rétrécissement: chaîne -2.9% / trame -3.0%



STANDARD
100

S07-0023
Hohenstein HTTI

hestan

7035.01 - 7035.30



7035.01



7035.02



7035.03



7035.04



7035.05



7035.06




7035.07




7035.08



7035.09




7035.10




7035.11




7035.12



7035.13




7035.14



7035.15




7035.16




7035.17



7035.18




7035.19




7035.20



7035.21




7035.22



7035.23



7035.24



7035.25



7035.26




7035.27



7035.28



7035.29



7035.30