

# farasan

8050.01 - 8050.16



binder

**curtain 01**

omschrijving

**contrastrijke multicolour**

samenstelling

**100% brandvertragend polyester**

breedte

**± 310 cm, ± 122 inches**

gewicht

**± 772 gr/m<sup>1</sup>, ± 25 oz/yd<sup>1</sup> fabrics**

visueel & thermisch comfort

**EN 410/EN 14501**

brandwerendheid

**EN 13773, class 1**

**BS 5867-2, type C**

**NF P 92/503-507, M1**

**DIN 4102, B1**

**UNI VF 8456-8457, classe 1**

**NFPA 701**

**IMO 2010 FTP part 7**

**CAN ULC S109**

wrijftechtheid

**ISO 105-X12**

nat 4-5 / droog 4-5 (schaal 1-5)

**AATCC 8**

nat 5 / droog 5 (schaal 1-5)

lichtechtheid

**ISO 105-B02**

6 (schaal 1-8)

**AATCC 16.3: 60 hours**

4 (schaal 1-5)

naadschuifweerstand

**ISO 13936-2**

ketting 3.5 mm / inslag 2 mm

**ASTM D434**

ketting 34 lbs / inslag 15 lbs

onderhoud



**krimp: ketting -0.8% / inslag -0.9%**




**krimp: ketting -1.2% / inslag -1.6%**



# farasan

8050.01 - 8050.16


---




8050.01




8050.02




8050.03



8050.04



8050.05



8050.06



8050.07



8050.08




8050.09




8050.10



8050.11



8050.12



8050.13



8050.14



8050.15



8050.16