


nila+print

8064.01



binder

curtain+print

omschrijving

**matte, ongestructureerde kamerhoge
curtain+print black out**

samenstelling

**100% flame retardant polyester acrylic
coating**

breedte

± 280 cm, ± 110 inches

bedrukbare breedte

± 270 cm, ± 106 inches

gewicht

± 778 gr/m¹, ± 25 oz/yd¹ fabrics

visueel & thermisch comfort

**EN 410/EN 14501
AATCC 148**

brandwerendheid

**EN 13773, class 1
BS 5867-2, type B
DIN 4102, B1
UNI VF 8456-8457, classe 1
NFPA 701
CAN/ULC S109
IMO 2010 FTP part 7**

wrijftechtheid

ISO 105-X12

nat 4-5 / droog 4-5 (schaal 1-5)

AATCC 8

nat 5 / droog 5 (schaal 1-5)

lichtechtheid

ISO 105-B02

5 (schaal 1-8)

AATCC 16.3: 60 hours

4.5 (schaal 1-5)

naadschuifweerstand

ASTM D434

warp 48 lbs / weft 53 lbs

aanvullende informatie

**Dit beeld is geen onderdeel van onze
collectie, maar dient als voorbeeld.**

onderhoud



krimp: ketting -1% / inslag -0.5%



krimp: ketting -1.2% / inslag -0.4%



nila+print

8064.01



8064.01