


# leone plus

7054.01 - 7054.26



binder

**upholstery**

**03**

**vinyl**

omschrijving

**uni leernerf**

samenstelling

**geschuimde vinyl, katoen/polyester backing**

breedte

**± 140 cm, ± 55 inches**

gewicht

**backing: ± 110 gr/m<sup>2</sup>, ± 5 oz/yd<sup>1</sup>**

**coating: ± 690 gr/m<sup>2</sup>, ± 31 oz/yd<sup>1</sup>**

dikte

**1.1 mm, 0.04 inches**

rollengte

**± 20 meter, ± 22 yards**

brandwerendheid

**EN 1021/1-2**

**BS 5852, crib 5**

**NF P 92/503 - 507, M2**

**NF D60-013 (AM 18)**

**DIN 4102, B2**

**UNI 9175, classe 1**

**Cal TB 117**

**NFPA 260, class 1**

**IMO 2010 FTP part 8**

slijtvastheid

**ISO 12947-2**

> 125.000 rubs martindale

**ASTM D4157**

50.000 double rubs wyzenbeek

wrijftechtheid

**ISO 105-X12**

nat 5 / droog 5 (schaal 1-5)

**AATCC 8**

nat 4-5 / droog 4 (schaal 1-5)

lichtechtheid

**ISO 105-B02**

8 (schaal 1-8)

**AATCC 16.3: 40 hours**

5 (schaal 1-5)

urinebestendigheid

**goed**

huidvetbestendigheid

**goed**

treksterkte

**ISO 1421**

lengte 475 N / breedte 320 N

**ASTM D5034**

ketting 113 lbs / inslag 90 lbs

knikbestendigheid

**ISO 5402**

> 20.000



vinyl   
COMMITTED TO  
SUSTAINABLE DEVELOPMENT

# leone plus

7054.01 - 7054.26


---




7054.01



7054.02



7054.03



7054.04



7054.05




7054.06




7054.07



7054.08



7054.09



7054.10



7054.11



7054.12




7054.13



7054.14




7054.15



7054.16



7054.17



7054.18



7054.19




7054.20




7054.21



7054.22




7054.23



7054.24



7054.25



7054.26