

avon

7068.01 – 7068.14



collectie

**upholstery
textile**

omschrijving

**all-over gemêleerde meubelstof gemaakt
van 100% gerecycled plastic afval**

samenstelling

100% recycled polyester FR

breedte

± 154 cm, ± 61 inches

gewicht

± 531 gr/m¹, ± 17 oz/yd¹ fabrics

brandwerendheid

EN 1021/ 1-2

BS 5852, crib 5

NF D 60-013 (AM 18)

DIN 4102, B1

UNI 9175, classe 1.IM

Cal TB 117

NFPA 260, class 1

IMO 2010 FTP part 8

slijtvastheid

ISO 12947-2

80.000 rubs martindale

ASTM D4157

80.000 double rubs wyzenbeek

pilling

ISO 12945-2

4-5 (schaal 1-5)

wrijftechtheid

ISO 105-X12

nat 4-5 / droog 4-5 (schaal 1-5)

lichtechtheid

ISO 105-B02

6 (schaal 1-8)

naadschuifweerstand

ISO 13936-2

ketting 3 mm / inslag 4 mm

treksterkte

ISO 13934-1

ketting 1140 N / inslag >2300 N

onderhoud



krimp: ketting -2.4% / inslag -0.8%




STANDARD
100


S21-3365
Hohenstein HTTI

avon


7068.01 – 7068.14




7068.01




7068.02




7068.03




7068.04




7068.05




7068.06



7068.07




7068.08




7068.09




7068.10




7068.11



7068.12



7068.13



7068.14