


# sindo

8027.01 - 8027.37



binder  
**curtain**

description  
**lightly blended unpatterned curtain fabric in  
100% flame retardant polyester**

composition  
**100% flame retardant polyester**

width  
**± 55 inches, ± 140 cm**

weight  
**± 10 oz/yd<sup>1</sup>, ± 297 gr/m<sup>1</sup> fabrics**

visual & thermal comfort  
**EN 410/EN 14501**

flame retardancy  
**EN 13773, class 1  
BS 5867-2, type C  
NF P 92/503-507, M1  
DIN 4102, B1  
UNI VF 8456-8457, classe 1  
IMO 2010 FTP part 7  
NFPA 701  
CAN ULC S109**

colorfastness to crocking  
**ISO 105-X12**  
wet 4-5 / dry 4-5 (scale 1-5)  
**AATCC 8**  
wet 5 / dry 5 (scale 1-5)

colorfastness to light  
**ISO 105-B02**  
light 6 / dark 6-7 (scale 1-8)  
**AATCC 16.3: 60 hrs**  
4-5 (scale 1-5)

seam slippage  
**ISO 13936-2**  
warp 4 mm / weft 4 mm  
**ASTM D434**  
warp 44 lbs / weft 52 lbs

care



**shrinkage: warp -1.8% / weft -1.2%**



STANDARD  
100  
S07-0023  
Hohenstein HTTI




# sindo

8027.01 - 8027.37


---




8027.03



8027.02




8027.01




8027.05




8027.06




8027.07



8027.11




8027.19




8027.12



8027.04




8027.17




8027.09



8027.13




8027.10




8027.24




8027.21




8027.23




8027.25




8027.36




8027.33




8027.28



8027.22




8027.26




8027.30




8027.27




8027.34



8027.37




8027.35




8027.14




8027.15




8027.18



8027.08




8027.16




8027.20



8027.31



8027.29



8027.32