

marmara

8025.01 - 8025.24



binder

curtain

sheer/transparent

description

mat unpatterned fabric with a glossy reverse side; can be used on both sides

composition

100% flame retardant polyester

width

± 118 inches, ± 300 cm

weight

± 10 oz/yd¹, ± 312 gr/m¹ fabrics

sound absorption

ASTM C423

nrc 0.30

ISO 354

alphaw 0.50 (pleated)

visual & thermal comfort

EN 410/EN 14501

flame retardancy

EN 13773, class 1

BS 5867 – 2, type C

NF P 92 / 503 – 507, M1

DIN 4102, B1

UNI VF 8456 – 8457, classe 1

NFPA 701

IMO 2010 FTP part 7

CAN ULC S109

colorfastness to crocking

ISO 105 X12

wet 4-5 / dry 4-5 (scale 1-5)

AATCC 8

wet 5 / dry 5 (scale 1-5)

colorfastness to light

ISO 105 B02

5 (scale 1-8)

AATCC 16.3: 60 hours

5 (scale 1-5)

care



shrinkage: warp -0.4% / weft -0.4%



shrinkage: warp -0.4% / weft -0.8%










STANDARD
100
S07-0023
Hohenstein HTTI



marmara

8025.01 - 8025.24

								
8025.01	8025.02	8025.03	8025.04	8025.05	8025.06	8025.07	8025.08	8025.09
								
8025.10	8025.11	8025.12	8025.13	8025.14	8025.15	8025.16	8025.17	8025.18
								
8025.19	8025.20	8025.21	8025.22	8025.23	8025.24			