

# liran

8054.01 - 8054.15



binder

**curtain 01**

description

**woolly blend look**

composition

**100% flame retardant polyester**

width

**± 56 inches, ± 143 cm**

weight

**± 12 oz/yd<sup>1</sup>, ± 386 gr/m<sup>1</sup> fabrics**

visual & thermal comfort

**EN 410/EN 14501**

flame retardancy

**EN 13773, class 1**

**BS 5867-2, type C**

**NF P 92/503-507, M1**

**DIN 4102, B1**

**UNI VF 8456-8457, classe 1**

**IMO 2010 FTP part 7**

**NFPA 701**

**CAN ULC S109**

colorfastness to crocking

**ISO 105-X12**

wet 4-5 / dry 4-5 (scale 1-5)

**AATCC 8**

wet 5 / dry 5 (scale 1-5)

colorfastness to light

**ISO 105-B02**

6-7 (scale 1-8)

**AATCC 16.3: 60 hours**

4 (scale 1-5)

seam slippage

**ASTM D434**

warp 45 lbs / weft 52 lbs

care



**shrinkage: warp: -1.9% / weft: -0.8%**




**shrinkage: warp: -2.2% / weft: -1.2%**



# liran

8054.01 - 8054.15

---



8054.01



8054.02



8054.03




8054.04




8054.05



8054.06




8054.07



8054.08



8054.09



8054.10



8054.11



8054.12



8054.13



8054.14



8054.15