

corsica

8055.01 - 8055.12



binder

curtain

sheer/transparent

description

linen look, half transparent acoustic curtain fabric

composition

100% flame retardant polyester

width

± 120 inches, ± 305 cm

weight

± 10 oz/yd¹, ± 323 gr/m¹ fabrics

sound absorption

ISO 354

alphaw 0.65 (pleated)

ASTM C423

nrc 0.65

visual & thermal comfort

EN 410/EN 14501

flame retardancy

EN 13773, class 1

BS 5867 – 2, type C

NF P 92 / 503 – 507, M1

DIN 4102, B1

UNI VF 8456 – 8457, classe 1

NFPA 701

CAN ULC S109

colorfastness to crocking

ISO 105 X12

wet 4-5 / dry 4-5 (scale 1-5)

AATCC 8

wet 5 / dry 5 (scale 1-5)

colorfastness to light

ISO 105 B02

6 (scale 1-8)

AATCC 16.3: 60 hours

5 (scale 1-5)

care



shrinkage: warp -0.5% / weft -0.7%



shrinkage: warp -0.7% / weft -1%



corsica

8055.01 - 8055.12



8055.01



8055.02



8055.03



8055.04



8055.05



8055.06



8055.07



8055.08



8055.09



8055.10



8055.11



8055.12