


moroni

8060.01 - 8060.29



binder

curtain 02

description

fine-weave, uni curtain fabric in black-out design

composition

100% fire retarding polyester with acrylic backing

width

± 110 inches, ± 280 cm

weight

± 23 oz/yd¹, ± 700 gr/m¹ fabrics

visual & thermal comfort

EN 410/EN 14501

AATCC 148

flame retardancy

EN 13773, class 1

BS 5867-2, type B

NF P 92/503-507, M1

DIN 4102, B1

UNI VF 8456-8457, classe 1

NFPA 701

CAN / ULC S109

IMO 2010 FTP part 7

colorfastness to crocking

ISO 105-X12

wet 4 / dry 4 (scale 1-5)

AATCC 8

wet 4.5 / dry 4.5 (scale 1-5)

colorfastness to light

ISO 105-B02

5-6 (scale 1-8)

AATCC 16.3: 60 hours

3.5 (scale 1-5)

seam slippage

ASTM D434

warp 66 lbs / weft 47 lbs

care



shrinkage: warp -1.6% / weft -0.6%



Hochschule Rhein-Waal
University of Applied Sciences

moroni

8060.01 - 8060.29



8060.01



8060.02



8060.03



8060.04



8060.05



8060.06



8060.07



8060.08



8060.09




8060.10




8060.11



8060.12



8060.13




8060.14




8060.15



8060.16



8060.17



8060.18



8060.19



8060.20



8060.21



8060.22



8060.23



8060.24



8060.25



8060.26



8060.27



8060.28



8060.29