


sotra

8070.01 - 8070.24



binder

curtain

description

natural silk look curtain fabric, black-out

composition

**100% fire retarding polyester with acryl
backing**

width

± 110 inches, ± 280 cm

weight

± 23 oz/yd¹, ± 700 gr/m¹ fabrics

visual & thermal comfort

EN 410/EN 14501

AATCC 148

flame retardancy

EN 13773, class 1

BS 5867-2, type B

DIN 4102, B1

UNI VF 8456-8457, classe 2

NFPA 701

CAN/ULC S109

IMO 2010 FTP part 7

colorfastness to crocking

ISO 105-X12

wet 4-5 / dry 4-5 (scale 1-5)

AATCC 8

wet 5 / dry 5 (scale 1-5)

colorfastness to light

ISO 105-B02

5 (scale 1-8)

AATCC 16.3: 60 hours

4.5 (scale 1-5)

seam slippage

ASTM D434

warp 48 lbs / weft 53 lbs

care



shrinkage: warp -1.0% / weft -0.5%










shrinkage: warp -1.2% / weft -0.4%



sotra

8070.01 - 8070.24

								
8070.01	8070.02	8070.03	8070.04	8070.05	8070.06	8070.07	8070.08	8070.09
								
8070.10	8070.11	8070.12	8070.13	8070.14	8070.15	8070.16	8070.17	8070.18
								
8070.19	8070.20	8070.21	8070.22	8070.23	8070.24			