



binder

curtain

sheer/transparent

描述

细密透明带横向效果

组成

100% 阻燃聚酯纤维

宽度

± 317 cm, ± 125 inches

重量

± 143 gr/m¹, ± 5 oz/yd¹ fabrics

温度及视觉舒适度

EN 410/EN 14501

阻燃

EN 13773, class 1

BS 5867 — 2, type C

NF P 92 / 503 — 507, M1

DIN 4102, B1

UNI VF 8456 — 8457, classe 1

IMO 2010 FTP part 7

NFPA 701

CAN ULC S109

耐擦拭

ISO 105 X12

湿 4-5 / 干 4-5 (由 1-5)

AATCC 8

湿 5 / 干 5 (由 1-5)

耐褪色

ISO 105 B02

6 (由 1-8)

AATCC 16,3: 60 hours

4-5 (由 1-5)



收缩□：纵向收缩比 -0.5% / 横向收缩比 -0.3%



收缩□：纵向收缩比 -0.8% / 横向收缩比 -0.5%











STANDARD
100
S07-0023
Hohenstein HTTI



chira

8053.01 - 8053.32

								
8053.01	8053.02	8053.03	8053.04	8053.05	8053.06	8053.07	8053.08	8053.09
								
8053.10	8053.11	8053.12	8053.13	8053.14	8053.15	8053.16	8053.17	8053.18
								
8053.19	8053.20	8053.21	8053.22	8053.23	8053.24	8053.25	8053.26	8053.27
								
8053.28	8053.29	8053.30	8053.31	8053.32				