



binder
curtain
sheer/transparent

描述
亚麻外观，半透明吸音窗帘面料

组成
100% 阻燃聚酯纤维

宽度
± 305 cm, ± 120 inches

重量
± 323 gr/m¹, ± 10 oz/yd¹ fabrics

吸声系数
ISO 354
alphaw 0,65 (pleated)
nrc 0,65

温度及视觉舒适度
EN 410/EN 14501

阻燃
EN 13773, class 1
BS 5867 — 2, type C
NF P 92 / 503 — 507, M1
DIN 4102, B1
UNI VF 8456 — 8457, classe 1
NFPA 701
CAN ULC S109

耐擦拭
ISO 105 X12
湿 4-5 / 干 4-5 (由 1-8)
AATCC 8
湿 5 / 干 5 (由 1-5)

耐褪色
ISO 105 B02
6 (由 1-8)
AATCC 16,3: 60 hours
5 (由 1-5)



收缩□：纵向收缩比 -0.5% / 横向收缩比 -0.7%



收缩□：纵向收缩比 -0.7% / 横向收缩比 -1%



corsica

8055.01 - 8055.12



8055.01



8055.02




8055.03



8055.04



8055.05



8055.06



8055.07



8055.08




8055.09



8055.10



8055.11



8055.12