



binder

curtain

描述

编织纹理亚麻外观遮光窗帘面料

组成

100% 阻燃聚酯纤维

宽度

± 294 cm, ± 116 inches

重量

± 861 gr/m², ± 28 oz/yd² fabrics

温度及视觉舒适度

EN 410/EN 14501

AATCC 148

阻燃

EN 13773, class 1

BS 5867-2, type C

NF P 92/503-507, M1

DIN 4102, B1

UNI VF 8456-8457, classe 1

NFPA 701

CAN/ULC S109

IMO 2010 FTP part 7

耐擦拭

ISO 105—X12

湿 4-5 / 干 4-5 (由 1—5)

AATCC 8

湿 5 / 干 5 (由 1—5)

耐褪色

ISO 105—B02

5 (scale 1 — 8)

AATCC 16,3: 60 hours

2.5 (由 1—5)

耐滑缝

ASTM D434

warp 53,5 lbs / weft 48 lbs



收缩□：纵向收缩比 -0.8% / 横向收缩比 -0.4%



收缩□：纵向收缩比 -1.6% / 横向收缩比 -0.7%






















STANDARD
100
S07-0023
Hohenstein HTTI



rani

8067.01 - 8067.22

								
8067.01	8067.02	8067.03	8067.04	8067.05	8067.06	8067.07	8067.08	8067.09
								
8067.10	8067.11	8067.12	8067.13	8067.14	8067.15	8067.16	8067.17	8067.18
								
8067.19	8067.20	8067.21	8067.22					