




binder
curtain

描述
双色调染色，光泽纱效果的全覆盖三维编织结构

组成
32% recycled polyester FR / 68% polyester FR

宽度
± 136 cm, ± 54 inches

重量
± 354 gr/m¹, ± 11 oz/yd¹ fabrics

温度及视觉舒适度
EN 410/EN 14501

阻燃
EN 13773, class 1
BS 5867-2, type C
NF P 92/503-507, M1
DIN 4102, B1
UNI VF 8456-8457, classe 1
IMO 2010 FTP part 7
NFPA 701
CAN/ULC S109

耐擦拭
ISO 105—X12
湿 4-5 / 干 4-5 (由 1—5)
AATCC 8
湿 5 / 干 5 (由 1—5)

耐褪色
ISO 105—B02
6 (由 1—8)
AATCC 16,3: 60 hours
4.5 (由 1—5)

耐滑缝
ISO 13936—2
warp 3,6 mm / weft 3,6 mm
ASTM D434
warp 46 lbs / weft 65 lbs



收缩□：纵向收缩比: -2.1% / 横向收缩比: -1.5%




STANDARD
100
S07-0023
Hohenstein HTTI




delos


8082.01 - 8082.24




8082.01



8082.02




8082.03




8082.04




8082.05




8082.06




8082.07




8082.08



8082.09




8082.10




8082.11




8082.12



8082.13



8082.14




8082.15




8082.16




8082.17




8082.18




8082.19




8082.20




8082.21



8082.22



8082.23



8082.24