


bedra+print

8061.01



binder curtain+print	耐褪色 ISO 105—B02 6 (scale 1—8) AATCC 16,3: 60 hours 4-5 (由 1—5)
描述 光泽柔软的无缝遮光curtain+print窗帘面料	耐滑缝 ASTM D434 warp 43,5 lbs / weft 48 lbs
组成 100% 阻燃聚酯纤维	额外信息 This image is not part of our collection, but should be regarded as an example.
宽度 ± 290 cm, ± 114 inches	
打印的宽度 ± 280 cm, ± 110 inches	收缩□：纵向收缩比 -0.4% / 横向收缩比 -1.4%
重量 ± 782 gr/m ¹ , ± 25 oz/yd ¹ fabrics	
温度及视觉舒适度 EN 410/EN 14501 AATCC 148	收缩□：纵向收缩比 -2.5% / 横向收缩比 -1.5%
阻燃 EN 13773, class 1 BS 5867 — 2, type C NF P 92 / 503 — 507, M1 DIN 4102, B1 UNI VF 8456 — 8457, classe 1 NFPA 701 CAN / ULC S109 IMO 2010 FTP part 7	
耐擦拭 ISO 105—X12 湿 5 / 干 5 (由 1—5) AATCC 8 湿 5 / 干 5 (由 1—5)	




STANDARD
100
S07-0023
Hohenstein HTTI



bedra+print

8061.01



8061.01