


# moroni+print

8062.01



|                                                                                                                                                                               |                                                                                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <b>binder</b><br>curtain+print                                                                                                                                                | <b>耐褪色</b><br>ISO 105-B02<br>5-6 (由 1-8)<br>AATCC 16,3: 60 hours<br>3.5 (由 1-5)                |
| <b>描述</b><br>哑光素色款无缝全遮光curtain+print窗帘面料                                                                                                                                      | <b>耐滑缝</b><br>ASTM D434<br>warp 66 lbs / weft 47 lbs                                           |
| <b>组成</b><br>100% polyester acrylic coating                                                                                                                                   | <b>额外信息</b><br>This image is not part of our collection, but should be regarded as an example. |
| <b>宽度</b><br>± 285 cm, ± 112 inches                                                                                                                                           |            |
| <b>打印的宽度</b><br>± 275 cm, ± 108 inches                                                                                                                                        | <b>收缩</b> ：纵向收缩比 -1.6% / 横向收缩比 -0.6%                                                           |
| <b>重量</b><br>± 700 gr/m <sup>1</sup> , ± 23 oz/yd <sup>1</sup> fabrics                                                                                                        |                                                                                                |
| <b>温度及视觉舒适度</b><br>EN 410/EN 14501<br>AATCC 148                                                                                                                               |                                                                                                |
| <b>阻燃</b><br>EN 13773, class 1<br>BS 5867-2, type B<br>NF P 92/503-507, M1<br>DIN 4102, B1<br>UNI VF 8456-8457, classe 1<br>NFPA 701<br>CAN / ULC S109<br>IMO 2010 FTP part 7 |                                                                                                |
| <b>耐擦拭</b><br>ISO 105—X12<br>湿 4 / 干 4 (由 1—5)<br>AATCC 8<br>湿 4.5 / 干 4.5 (由 1—5)                                                                                            |                                                                                                |



# moroni+print

8062.01

---



8062.01