

bray+print

8065.01



系列

curtain+print

描述

无方向性纺织结构的无缝全遮光curtain+print窗帘面料

组成

100% flame retardant polyester acrylic coating

宽度

± 280 cm, ± 110 inches

打印的宽度

± 270 cm, ± 106 inches

重量

± 1075 gr/m¹, ± 35 oz/yd¹ fabrics

温度及视觉舒适度

EN 410/EN 14501

AATCC 148

阻燃

EN 13773, class 1

BS 5867-2, type B

DIN 4102, B1

UNI VF 8456-8457, classe 1

NFPA 701

CAN/ULC S109

IMO 2010 FTP part 7

耐擦拭

ISO 105-X12

湿 4-5 / 干 4-5 (由 1-5)

AATCC 8

nat 5 / droog 5 (由 1-5)

耐褪色

ISO 105-B02

5 (由 1-8)

AATCC 16,3: 60 hours

2.5 (由 1-5)

耐滑缝

ASTM D434

warp 44 lbs / weft 49,5 lbs

额外信息

This image is not part of our collection, but should be regarded as an example.



收缩□ : 纵向收缩比 -0.9% / 横向收缩比 -0.6%



收缩□ : catena -1.5% / trama -1.2%



Hochschule Rhein-Waal
University of Applied Sciences

bray+print

8065.01



8065.01