

leone plus

7054.01 - 7054.26



binder

upholstery

vinyl

描述

色彩统一的皮革纹理

组成

发泡PVC,加棉或涂底

宽度

± 137-140 cm, ± 54-55 inches

重量

底层: ± 110 gr/m², ± 5 oz/yd¹

涂层: ± 690 gr/m², ± 31 oz/yd¹

厚度

1,1 mm, 0,04 inches

阻燃

EN 1021/1—2

BS 5852, crib 5

NF P 92/503 — 507, M2

NF D60—013 (AM 18)

DIN 4102, B2

UNI 9175, classe 1 IM

Cal TB 117

NFPA 260, class 1

IMO 2010 FTP part 8

耐磨性

ISO 12947—2

> 300,000 rubs martindale

ASTM D4157

100,000 double rubs wyzenbeek

耐擦拭

ISO 105—X12

wet 5 / dry 5 (scale 1—5)

AATCC 8

wet 5 / dry 5 (scale 1—5)

耐褪色

ISO 105—B02

7 (scale 1—8)

ASTM D4329: 150 hours

4 (scale 1—5)

耐血液，尿液，汗液和皮肤脂肪

EN 12720

5 (scale 1—5)

屈伸强度

ISO 1421

length 470 N / width 313 N

ASTM D2261

length 7.3 lbs / width 9.2 lbs

灵活性

ISO 7854

400,000 cycles

涂层粘结力

ASTM D751

length 8.3 lbf / width 5.2 lbf



leone plus

7054.01 - 7054.26




7054.01



7054.02




7054.03



7054.04




7054.05




7054.06



7054.07



7054.08



7054.09



7054.10




7054.11



7054.12



7054.13



7054.14




7054.15



7054.16



7054.17



7054.18



7054.19




7054.20




7054.21




7054.22




7054.23



7054.24



7054.25



7054.26