

# furka plus

7064.01 - 7064.44



## binder

upholstery

vinyl

## 描述

马特微光，色彩统一的细颗粒

## 组成

发泡PVC,加棉或涤底

## 宽度

± 137-140 cm, ± 54-55 inches

## 重量

底层: ± 110 gr/m<sup>2</sup>, ± 5 oz/yd<sup>1</sup>

涂层: ± 690 gr/m<sup>2</sup>, ± 31 oz/yd<sup>1</sup>

## 厚度

1,1 mm, 0,04 inches

## 阻燃

EN 1021/1—2

BS 5852, crib 5

NF P 92/503 — 507, M2

NF D60—013 (AM 18)

DIN 4102, B2

UNI 9175, classe 1 IM

Cal TB 117

NFPA 260, class 1

IMO 2010 FTP part 8

## 耐磨性

ISO 12947—2

> 300,000 rubs martindale

ASTM D4157

100,000 double rubs wyzenbeek

## 耐擦拭

ISO 105—X12

wet 5 / dry 5 (scale 1—5)

AATCC 8

wet 5 / dry 5 (scale 1—5)

## 耐褪色

ISO 105—B02

7 (scale 1—8)

ASTM D4329: 150 hours

4 (scale 1—5)

## 耐血液，尿液，汗液和皮肤脂肪

EN 12720

5 (scale 1—5)

## 屈伸强度

ISO 1421

length 470 N / width 313 N

ASTM D2261

length 7 lbs / width 9 lbs

## 灵活性

ISO 7854

400,000 cycles

## 涂层粘结力

ASTM D751


length 8 lbf / width 5 lbf



# furka plus

7064.01 - 7064.44

---



7064.01



7064.02



7064.03



7064.04



7064.05




7064.06



7064.07




7064.08



7064.09




7064.10



7064.11




7064.12



7064.13



7064.14



7064.15




7064.16



7064.17



7064.18



7064.19



7064.20



7064.21



7064.22



7064.23



7064.24




7064.25



7064.26



7064.27



7064.28



7064.29



7064.30



7064.31



7064.32



7064.33



7064.34




7064.35




7064.36




7064.37



7064.38




7064.39




7064.40




7064.41



7064.42



7064.43



7064.44