


norfolk

7069.01 – 7069.16



binder upholstery	耐褪色 ISO 105—B02 6 (由 1—8)
描述 是一款三维效果无方向编织网格通用面料。	耐滑缝 ISO 13936—2 纵向收缩比 3 mm / 横向收缩比 2 mm
组成 100% recycled polyester FR	屈伸强度 ISO 13934—1 纵向收缩比 1320 N / 横向收缩比 >2500 N
宽度 ± 148 cm, ± 58 inches	收缩□：纵向收缩比 -2% / 横向收缩比 -3%
重量 ± 624 gr/m ¹ , ± 20 oz/yd ¹ fabrics	
阻燃 EN 1021/ 1—2 BS 5852, crib 5 NF D 60—013 (AM 18) DIN 4102, B1 UNI 9175, classe 1.IM Cal TB 117 NFPA 260, class 1 IMO 2010 FTP part 8	
耐磨性 ISO 12947—2 70,000 rubs martindale ASTM D4157 100,000 double rubs wyzenbeek	
起毛 ISO 12945—2 4—5 (由 1—5)	
耐擦拭 ISO 105—X12 湿 4—5 / 干 4—5 (由 1—5)	



STANDARD
100

S21-3365
Hohenstein HTTI

norfolk

7069.01 – 7069.16

