


harding

7070.01 – 7070.08



binder upholstery	耐褪色 ISO 105—B02 6 (由 1—8)
描述 是一款由100%回收塑料废料制成的双色调斜纹面料	耐滑缝 ISO 13936—2 纵向收缩比 3 mm / 横向收缩比 2 mm
组成 100% recycled polyester FR	屈伸强度 ISO 13934—1 纵向收缩比 1220 N / 横向收缩比 >2500 N
宽度 ± 151 cm, ± 59 inches	
重量 ± 660 gr/m ¹ , ± 21 oz/yd ¹ fabrics	收缩 : 纵向收缩比 -2% / 横向收缩比 -2%
阻燃 EN 1021/ 1—2 BS 5852, crib 5 NF D 60—013 (AM 18) DIN 4102, B1 UNI 9175, classe 1,IM Cal TB 117 NFPA 260, class 1 IMO 2010 FTP part 8	
耐磨性 ISO 12947—2 130,000 rubs martindale ASTM D4157 100,000 double rubs wyzenbeek	
起毛 ISO 12945—2 4—5 (由 1—5)	
耐擦拭 ISO 105—X12 湿 4—5 / 干 4—5 (由 1—5)	



STANDARD
100


S21-3365
Hohenstein HTTI

harding


7070.01 – 7070.08



7070.01




7070.02




7070.03



7070.04




7070.05



7070.06



7070.07



7070.08