



binder

upholstery

描述

通用单色且触感柔软的再生圈绒面料

组成

97% recycled polyester FR / 3% polyester FR

宽度

± 141 cm, ± 56 inches

重量

± 749 gr/m², ± 24 oz/yd² fabrics

阻燃

EN 1021/1—2

BS 5852, crib 5

NF P 92 / 503 — 507, M1

DIN 4102, B1

UNI 9175, classe 1,IM

Cal TB 117

NFPA 260, class 1

IMO 2010 FTP part 8

耐磨性

ISO 12947—2

60,000 rubs martindale

ASTM D4157

100,000 double rubs wyzenbeek

起毛

ISO 12945—2

4 (由 1—5)

ASTM D3511

5 (由 1—5)

耐擦拭

ISO 105—X12

湿 4—5 / 干 4—5 (由 1—5)

AATCC 8

湿 5 / 干 5 (由 1—5)

耐褪色

ISO 105—B02

6 (由 1—8)

AATCC 16,3: 40 hours

5 (由 1—5)

耐滑缝

ISO 13936—2

纵向收缩比 4 mm / 横向收缩比 2 mm

ASTM D4034

warp 51 lbs / weft 106 lbs

屈伸强度

ISO 13934—1

纵向收缩比 1370 N / 横向收缩比 1220 N

ASTM D5034

warp 263 lbs / weft 234 lbs



收缩□：纵向收缩比 -2% / 横向收缩比 -1.7%




STANDARD
100


S21-3365
Hohenstein HTTI

foster


7072.01 – 7072.27




7072.01




7072.02




7072.03




7072.04



7072.05




7072.06




7072.07




7072.08




7072.09




7072.10



7072.11



7072.12




7072.13




7072.14




7072.15




7072.16



7072.17




7072.18




7072.19




7072.20



7072.21




7072.22




7072.23




7072.24



7072.25



7072.26



7072.27