

auckland

7071.01 – 7071.34



binder

upholstery

描述

有趣的双色调无方向性网格圈绒面料

组成

76% recycled polyester FR / 24% polyester FR

宽度

± 141 cm, ± 56 inches

重量

± 704 gr/m², ± 23 oz/yd² fabrics

阻燃

EN 1021/1—2

BS 5852, crib 5

NF P 92503-507, M1

NF D 60—013 (AM 18)

DIN 4102, B1

UNI 9175, classe 1,IM

Cal TB 117

NFPA 260, class 1

IMO 2010 FTP part 8

耐磨性

ISO 12947—2

60,000 rubs martindale

ASTM D4157

80,000 double rubs wyzenbeek

起毛

ISO 12945—2

4 (由 1—5)

ASTM D3511

5 (由 1—5)

耐擦拭

ISO 105—X12

湿 4—5 / 干 4—5 (由 1—5)

AATCC 8

湿 5 / 干 5 (由 1—5)

耐褪色

ISO 105—B02

6 (由 1—8)

AATCC 16,3: 40 hours

5 (由 1—5)

耐滑缝

ISO 13936—2

纵向收缩比 3 mm / 横向收缩比 3 mm

ASTM D4034

warp 128 lbs / weft 112 lbs

屈伸强度

ISO 13934—1

纵向收缩比 1550 N / 横向收缩比 2500 N

ASTM D5034

warp 220 lbs / weft 402 lbs



收缩□：纵向收缩比 -2.4% / 横向收缩比 -1.4%




































STANDARD
100

S21-3365
Hohenstein HTTI

auckland

7071.01 – 7071.34

								
7071.01	7071.02	7071.03	7071.04	7071.05	7071.06	7071.07	7071.08	7071.09
								
7071.10	7071.11	7071.12	7071.13	7071.14	7071.15	7071.16	7071.17	7071.18
								
7071.19	7071.20	7071.21	7071.22	7071.23	7071.24	7071.25	7071.26	7071.27
								
7071.28	7071.29	7071.30	7071.31	7071.32	7071.33	7071.34		